

ITEM C

**CITY OF LA VISTA
MAYOR AND CITY COUNCIL REPORT
MAY 2, 2017 AGENDA**

| Subject: | Type: | Submitted By: |
|---|---|---------------------------------------|
| AUTHORIZATION TO PURCHASE SINGLE AXLE DUMP TRUCK | ◆ RESOLUTION ORDINANCE RECEIVE/FILE | ROCKY HENKEL STREET SUPERINTENDENT |

SYNOPSIS

A resolution has been prepared authorizing the purchase of one (1) 2018 Western Star 4700SB 4x2 Dump Truck from Wick's Sterling Trucks, Inc., Omaha, Nebraska for an amount not to exceed \$198,477.00

FISCAL IMPACT

The FY17/18 biennial budget provides funding for the purchase of one single axle dump truck. The truck will be purchased through a multi-year loan/lease.

RECOMMENDATION

Approval

BACKGROUND

The truck is being purchased from a current State of Nebraska contract #14515 OC. The purchase includes a new snow plow, wing plow, and sander for winter operations. The truck carries a standard 1-year bumper to bumper warranty and 5-year power train warranty. Delivery time for the new truck is approximately 180 days. This dump truck will replace dump truck #1126 which was purchased in 1991. Truck #1126 has experienced on-going repair issues.

RESOLUTION NO. _____

A RESOLUTION OF THE MAYOR AND CITY COUNCIL OF THE CITY OF LA VISTA, NEBRASKA AUTHORIZING THE PURCHASE OF ONE (1) 2018 WESTERN STAR 4700SB 4X2 DUMP TRUCK FROM WICK'S STERLING TRUCKS, INC. OMAHA, NEBRASKA FOR AN AMOUNT NOT TO EXCEED \$198,477.00.

WHEREAS, the City Council of the City of La Vista has determined that the purchase of a dump truck for the Streets Division is necessary, and

WHEREAS, the FY17/ Biennial General Fund Budget provides funding for the proposed purchase, and

WHEREAS, Subsection (c) of Section 31.23 of the La Vista Municipal Code requires that the City Administrator secure Council approval prior to authorizing any purchase over \$5,000.00.

NOW, THEREFORE, BE IT RESOLVED, that the Mayor and City Council of La Vista, Nebraska, do hereby authorize the purchase of one (1) 2018 Western Star 4700SB 4x2 Dump Truck from Wick's Sterling Trucks, Inc., Omaha, Nebraska for an amount not to exceed \$198,477.00.

PASSED AND APPROVED THIS 2ND DAY OF MAY, 2017.

CITY OF LA VISTA

Douglas Kindig, Mayor

ATTEST:

Pamela A. Buethe, CMC
City Clerk

Prepared for:
Dianna Gilliland
State of Nebraska and Political
Sub divisions
1526 K Street Suite 130
Lincoln, NE 68508
Phone: 402-471-2089


Prepared by:
Terry Novotny
WICK'S STERLING TRUCKS,
INC.
10502 S. 147TH ST.
OMAHA, NE 68138
Phone: 402-891-9200

A proposal for
State of Nebraska and Political Sub divisions

Prepared by
WICK'S STERLING TRUCKS, INC.
Terry Novotny

Apr 17, 2017

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

S P E C I F I C A T I O N P R O P O S A L

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|------------------------------|---|-----------------|----------------|--------------|
| Price Level | | | | |
| PRL-15T | WESTERN STAR 4700 PRL-15T (EFF:10/25/16) | | | STD |
| Data Version | | | | |
| DRL-018 | SPECPRO21 DATA RELEASE VER 018 | | | N/C |
| Vehicle Configuration | | | | |
| 001-451 | 4700 SET-BACK FRONT AXLE CHASSIS | 9,215 | 6,630 | \$162,060.00 |
| 004-218 | 2018 MODEL YEAR SPECIFIED | | | N/C |
| 002-004 | SET BACK AXLE - TRUCK | | | STD |
| 019-001 | TRAILER TOWING PROVISION AT END OF FRAME FOR TRUCK | 10 | 10 | \$633.00 |
| 003-001 | LH PRIMARY STEERING LOCATION | | | STD |
| General Service | | | | |
| AA1-003 | TRUCK/TRAILER CONFIGURATION | | | N/C |
| AA6-001 | DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES) | | | STD |
| A85-010 | UTILITY/REPAIR/MAINTENANCE SERVICE | | | N/C |
| A84-1GM | GOVERNMENT BUSINESS SEGMENT | | | N/C |
| AA4-010 | DIRT/SAND/ROCK COMMODITY | | | N/C |
| AA5-002 | TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS | | | STD |
| AB1-008 | MAXIMUM 8% EXPECTED GRADE | | | STD |
| AB5-001 | SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE | | | STD |
| 995-1A5 | WESTERN STAR VOCATIONAL WARRANTY | | | STD |
| A66-99D | EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs | | | |
| A68-99D | EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs | | | |
| A63-99D | EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 35000.0 lbs | | | |
| A70-99D | EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs | | | |



Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|------------------------------|--|-----------------|----------------|---------------|
| Truck Service | | | | |
| AA3-018 | FRONT PLOW/END DUMP BODY | | | N/C |
| Tractor Service | | | | |
| AA2-001 | VAN TRAILER | | | N/C |
| AH6-001 | SINGLE (1) TRAILER | | | N/C |
| Engine | | | | |
| 101-22R | CUM L9 330 HP @ 2000 RPM, 2200 GOV RPM, 1000 LB/FT @ 1400 RPM | -850 | -70 | (\$11,992.00) |
| Electronic Parameters | | | | |
| 79A-075 | 75 MPH ROAD SPEED LIMIT | | | N/C |
| 79B-000 | CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT | | | N/C |
| 79P-002 | PTO RPM WITH CRUISE SET SWITCH - 700 RPM | | | N/C |
| 79Q-003 | PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM | | | N/C |
| 79S-001 | PTO MODE CANCEL VEHICLE SPEED - 5 MPH | | | N/C |
| 79U-007 | PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND | | | N/C |
| 80G-002 | PTO MINIMUM RPM - 700 | | | N/C |
| 80J-002 | REGEN INHIBIT SPEED THRESHOLD - 5 MPH | | | N/C |
| Engine Equipment | | | | |
| 98C-017 | 2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION | | | STD |
| 99D-011 | 2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR) | | | \$106.00 |
| 13E-001 | STANDARD OIL PAN | | | STD |
| 105-001 | ENGINE MOUNTED OIL CHECK AND FILL | | | STD |
| 133-004 | ONE PIECE VALVE COVER | | | STD |
| 014-108 | SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR | 10 | | \$367.00 |
| 124-1D7 | DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE | | | STD |
| 292-148 | (3) ALLIANCE ABSORBED GLASS MAT MODEL 7A31, GROUP 31, 12 VOLT MAINTENANCE FREE 2190 CCA THREADED STUD BATTERIES | | | STD |
| 290-1AC | PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB | | | STD |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-----------|---|-----------------|----------------|--------------|
| 282-013 | BATTERY BOX MOUNTED UNDER PASSENGER SEAT | | | STD |
| 291-017 | WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN | | | STD |
| 289-006 | PLASTIC BATTERY BOX COVER | | | STD |
| 107-032 | CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE | | | N/C |
| 131-013 | AIR COMPRESSOR DISCHARGE LINE | | | STD |
| 152-041 | ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM | | | STD |
| 128-076 | CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH | 20 | | N/C |
| 016-1C2 | RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE | | | STD |
| 28F-002 | ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH | | | STD |
| 239-038 | 11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT | | | STD |
| 237-1CR | RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP | | | STD |
| 23U-001 | 6 GALLON DIESEL EXHAUST FLUID TANK | | | STD |
| 30N-003 | 100 PERCENT DIESEL EXHAUST FLUID FILL | | | STD |
| 23Y-001 | STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING | | | STD |
| 43X-002 | LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION | | | STD |
| 242-001 | STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD | | | STD |
| 273-018 | HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE | | | N/C |
| 276-001 | AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED | | | STD |
| 110-003 | CUMMINS SPIN ON FUEL FILTER | | | N/C |
| 118-008 | COMBINATION FULL FLOW/BYPASS OIL FILTER | | | N/C |
| 266-017 | 1300 SQUARE INCH ALUMINUM RADIATOR | -20 | | N/C |
| 267-006 | MOUNTING FOR FIREWALL MOUNTED SURGE TANK | | | STD |
| 103-039 | ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT | | | STD |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-------------------------------|---|-----------------|----------------|--------------|
| 171-007 | GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT | | | STD |
| 172-001 | CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES | | | STD |
| 270-016 | RADIATOR DRAIN VALVE | | | N/C |
| 168-002 | LOWER RADIATOR GUARD | | | STD |
| 360-013 | 1350 ADAPTER FLANGE FOR FRONT PTO PROVISION | 10 | | \$1,329.00 |
| 138-011 | PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER | 4 | | N/C |
| 166-998 | NO OIL PREHEATER | | | (\$69.00) |
| 140-022 | CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR | | | STD |
| 134-001 | ALUMINUM FLYWHEEL HOUSING | | | STD |
| 132-004 | ELECTRIC GRID AIR INTAKE WARMER | | | N/C |
| 155-058 | DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH | -10 | | N/C |
| Transmission | | | | |
| 342-584 | ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION | -110 | -35 | \$6,967.00 |
| Transmission Equipment | | | | |
| 343-339 | ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV | | | N/C |
| 84B-012 | ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES | | | N/C |
| 84C-023 | PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY | | | N/C |
| 84D-023 | SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY | | | N/C |
| 84E-000 | PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE | | | N/C |
| 84F-000 | SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE | | | N/C |
| 84G-000 | PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE | | | N/C |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-----------|---|-----------------|----------------|--------------|
| 84H-000 | SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE | | | N/C |
| 84L-000 | LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE | | | N/C |
| 353-060 | BODY LIGHTING INTERFACE BLUNT CUT WIRING WITH FUSE PANEL WIRE MOUNTED BETWEEN DRIVER AND PASSENGER SEATS | | | \$499.00 |
| 34C-010 | ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR, BLUNT CUT, MOUNTED BETWEEN DRIVER AND PASSENGER SEATS | | | \$173.00 |
| 341-018 | MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN | | | N/C |
| 345-003 | PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED | | | N/C |
| 97G-004 | TRANSMISSION PROGNOSTICS - ENABLED 2013 | | | N/C |
| 370-015 | WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK | | | STD |
| 346-003 | TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK | | | N/C |
| 35T-001 | SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT) | | | N/C |

Front Axle and Equipment

| | | | | |
|---------|--|------|--|--------------|
| 400-1A6 | DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE | -190 | | (\$1,492.00) |
| 402-020 | MERITOR 15X4 Q+ CAM FRONT BRAKES | -10 | | N/C |
| 403-002 | NON-ASBESTOS FRONT BRAKE LINING | | | STD |
| 419-023 | CONMET CAST IRON FRONT BRAKE DRUMS | | | STD |
| 427-001 | FRONT BRAKE DUST SHIELDS | 5 | | \$51.00 |
| 409-021 | SKF SCOTSEAL PLUS XL FRONT OIL SEALS | | | STD |
| 408-001 | VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL | | | STD |
| 416-022 | STANDARD SPINDLE NUTS FOR ALL AXLES | | | STD |
| 405-003 | HALDEX AUTOMATIC FRONT SLACK ADJUSTERS | | | STD |
| 406-001 | STANDARD KING PIN BUSHINGS | | | STD |
| 536-050 | TRW THP-60 POWER STEERING | -40 | | N/C |
| 539-003 | POWER STEERING PUMP | | | STD |
| 534-003 | 4 QUART POWER STEERING RESERVOIR | 5 | | \$51.00 |
| 40T-003 | SYNTHETIC 50W FRONT AXLE LUBE | | | STD |



Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|--------------------------------|--|-----------------|----------------|--------------|
| Front Suspension | | | | |
| 620-003 | 14,600# FLAT LEAF FRONT SUSPENSION | -90 | | (\$17.00) |
| 619-004 | GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION | | | STD |
| 410-001 | FRONT SHOCK ABSORBERS | | | \$215.00 |
| Rear Axle and Equipment | | | | |
| 420-051 | RS-23-160 23,000# R-SERIES SINGLE REAR AXLE | | -2,310 | (\$8,920.00) |
| 421-538 | 5.38 REAR AXLE RATIO | | | N/C |
| 424-001 | IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING | | | N/C |
| 386-073 | MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES | -30 | -30 | (\$91.00) |
| 452-001 | DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE | | 20 | \$667.00 |
| 878-018 | (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE | | | N/C |
| 87B-008 | INDICATOR LIGHT FOR EACH DRIVER CONTROLLED TRACTION DEVICE SWITCH | | | N/C |
| 423-020 | MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES | | | STD |
| 433-002 | NON-ASBESTOS REAR BRAKE LINING | | | STD |
| 434-001 | CAM BRAKE AUXILIARY SUPPORT BRACKETS | | | \$25.00 |
| 451-023 | CONMET CAST IRON REAR BRAKE DRUMS | | | STD |
| 425-002 | REAR BRAKE DUST SHIELDS | | 5 | \$59.00 |
| 440-021 | SKF SCOTSEAL PLUS XL REAR OIL SEALS | | | STD |
| 426-074 | HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS | | -20 | N/C |
| 428-002 | MERITOR AUTOMATIC REAR SLACK ADJUSTERS | | | (\$60.00) |
| 41T-002 | SYNTHETIC 75W-90 REAR AXLE LUBE | | | STD |
| Rear Suspension | | | | |
| 622-216 | AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE | | 70 | (\$1,360.00) |
| 621-007 | AIRLINER HIGH POSITION RIDE HEIGHT | | | STD |
| 431-001 | STANDARD AXLE SEATS IN AXLE CLAMP GROUP | | | N/C |
| 888-047 | MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE | | | STD |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|------------------------------|--|-----------------|----------------|--------------|
| 87D-006 | INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH | | | STD |
| 910-001 | SINGLE AIR REAR SUSPENSION LEVELING VALVE | | | STD |
| 623-002 | TRANSVERSE CONTROL RODS | | | STD |
| 439-004 | REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION) | | | N/C |
| Brake System | | | | |
| 490-100 | WABCO 4S/4M ABS WITHOUT TRACTION CONTROL | | | STD |
| 871-001 | REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES | | | STD |
| 904-001 | FIBER BRAID PARKING BRAKE HOSE | | | STD |
| 412-001 | STANDARD BRAKE SYSTEM VALVES | | | STD |
| 432-003 | RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE | | | STD |
| 480-083 | WABCO SS-1200 PLUS AIR DRYER WITH INTEGRAL AIR GOVERNOR AND HEATER | | | STD |
| 483-004 | WABCO OIL COALESCING FILTER FOR AIR DRYER | | | \$25.00 |
| 479-015 | AIR DRYER FRAME MOUNTED | | | STD |
| 460-008 | STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL | | | \$116.00 |
| 607-005 | CLEAR FRAME RAILS 36 INCHES FROM BACK OF CAB OUTBOARD OF BOTH FRAME RAILS | | | \$63.00 |
| 477-004 | PULL CABLES ON ALL AIR RESERVOIR(S) | | | \$23.00 |
| Trailer Connections | | | | |
| 914-001 | AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS | | | N/C |
| 296-010 | PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION | | | N/C |
| 297-001 | SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME | | | N/C |
| Wheelbase & Frame | | | | |
| 545-412 | 4125MM (162 INCH) WHEELBASE | | | N/C |
| 546-102 | 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI | 80 | 150 | \$479.00 |
| 547-034 | PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION | 195 | -5 | \$979.00 |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|--------------------------|--|-----------------|----------------|--------------|
| 548-803 | BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW | | | N/C |
| 552-140 | 950MM (37 INCH) REAR FRAME OVERHANG | | | N/C |
| 55W-003 | FRAME OVERHANG RANGE: 31 INCH TO 40 INCH | 40 | -160 | N/C |
| 549-002 | 24 INCH INTEGRAL FRONT FRAME EXTENSION | 158 | -20 | \$941.00 |
| AC8-99D | CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 98.69 in | | | |
| AE8-99D | CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 95.69 in | | | |
| AE4-99D | CALC'D FRAME LENGTH - OVERALL : 268.61 | | | |
| AM6-99D | CALC'D SPACE AVAILABLE FOR DECKPLATE : 98.69 in | | | |
| FSS-0LH | CALCULATED FRAME SPACE LH SIDE : 64.51 in | | | N/C |
| FSS-0RH | CALCULATED FRAME SPACE RH SIDE : 129.9 in | | | N/C |
| 553-001 | SQUARE END OF FRAME | | | STD |
| 559-001 | STANDARD WEIGHT ENGINE CROSSMEMBER | | | STD |
| 561-001 | STANDARD CROSSMEMBER BACK OF TRANSMISSION | | | STD |
| 562-001 | STANDARD MIDSHIP #1 CROSSMEMBER(S) | | | STD |
| 572-001 | STANDARD REARMOST CROSSMEMBER | | | STD |
| 565-002 | HEAVY DUTY SUSPENSION CROSSMEMBER | | | STD |
| 568-001 | STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER | | | STD |
| Chassis Equipment | | | | |
| 556-997 | OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203 | -110 | | (\$786.00) |
| 586-015 | FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS | | | STD |
| 551-007 | GRADE 8 THREADED HEX HEADED FRAME FASTENERS | | | STD |
| 44Z-998 | NO SPECIFIED HARNESS COVERING | | | STD |
| Fuel Tanks | | | | |
| 204-151 | 60 GALLON/227 LITER ALUMINUM FUEL TANK - LH | | | STD |
| 218-006 | 25 INCH DIAMETER FUEL TANK(S) | | | STD |
| 215-007 | PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS | | | \$347.00 |
| 212-007 | FUEL TANK(S) FORWARD | | | STD |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| | Data Code | Description | Weight Front | Weight Rear | Retail Price |
|---------------------|-----------|---|-----------------|----------------|--------------|
| | 664-001 | PLAIN STEP FINISH | | | STD |
| | 205-001 | FUEL TANK CAP(S) | | | STD |
| | 122-1H7 | DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR | 20 | | N/C |
| | 216-020 | EQUIFLO INBOARD FUEL SYSTEM | | | STD |
| | 202-016 | HIGH TEMPERATURE REINFORCED NYLON FUEL LINE | | | STD |
| | 221-001 | FUEL COOLER | | | STD |
| Tires | | | | | |
| | 093-2DV | CONTINENTAL HSC1 12R22.5 16 PLY RADIAL FRONT TIRES | 50 | | \$48.00 |
| | 094-2F6 | CONTINENTAL HDR2 11R22.5 14 PLY RADIAL REAR TIRES | | 92 | (\$348.00) |
| Hubs | | | | | |
| | 418-056 | CONMET PRESET PLUS IRON FRONT HUBS | | | STD |
| | 450-056 | CONMET PRESET PLUS IRON REAR HUBS | | | STD |
| Wheels | | | | | |
| | 502-433 | ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS | 66 | | STD |
| | 505-428 | ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS | | 52 | STD |
| | 496-011 | FRONT WHEEL MOUNTING NUTS | | | STD |
| | 497-011 | REAR WHEEL MOUNTING NUTS | | | STD |
| Cab Exterior | | | | | |
| | 829-1A8 | 110 INCH BBC STEEL CONVENTIONAL CAB | | | STD |
| | 82A-023 | WESTERN STAR PAINTED ALUMINUM CAB SKIRT | | | STD |
| | 650-044 | AIR CAB MOUNTS WITH CHECK VALVE | | | STD |
| | 648-002 | NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE | | | STD |
| | 667-001 | FRONT FENDERS | | | STD |
| | 678-034 | LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST | | | STD |
| | 646-008 | STATIONARY BRIGHT FINISH GRILLE | | | STD |
| | 65X-003 | CHROME HOOD MOUNTED AIR INTAKE GRILLE | | | STD |
| | 640-008 | GALVANEALD STEEL SEVERE SERVICE CAB | | | STD |
| | 644-004 | FIBERGLASS HOOD | | | STD |
| | 690-002 | TUNNEL/FIREWALL LINER | | | \$37.00 |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|---------------------|---|-----------------|----------------|--------------|
| 727-012 | DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS | | | STD |
| 726-001 | SINGLE ELECTRIC HORN | | | STD |
| 728-002 | DUAL HORN SHIELDS | | | STD |
| 657-1AF | DOORS AND IGNITION KEYED THE SAME (3 KEYS) | | | \$9.00 |
| 575-001 | REAR LICENSE PLATE MOUNT END OF FRAME | | | STD |
| 327-012 | SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS | | | \$22.00 |
| 312-072 | SINGLE RECTANGULAR SEALED BEAM HEADLIGHTS WITH BRIGHT BEZELS | | | STD |
| 302-022 | LED MARKER LAMPS | | | \$95.00 |
| 294-1AX | INDIVIDUAL LED STOP/TURN/BACKUP LIGHTS GROMMET MOUNTED OUTBOARD OF RAIL | | 5 | \$210.00 |
| 300-015 | STANDARD FRONT TURN SIGNAL LAMPS | | | STD |
| 318-1D7 | (2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER | 6 | | \$160.00 |
| 744-008 | DUAL STAINLESS STEEL HEATED MIRRORS | | | \$44.00 |
| 797-001 | DOOR MOUNTED MIRRORS | | | STD |
| 796-001 | 102 INCH EQUIPMENT WIDTH | | | STD |
| 743-1AA | LH AND RH SUREPLUS 574 8 INCH BRIGHT FINISH HEATED CONVEX MIRRORS WITH SEPARATE ADJUSTMENT, MOUNTED BELOW MIRROR | | | \$36.00 |
| 74A-001 | RH DOWN VIEW MIRROR | | | STD |
| 729-001 | STANDARD SIDE/REAR REFLECTORS | | | STD |
| 768-050 | 17.5X35 INCH LAMINATED SAFETY GLASS TINTED REAR WINDOW | | | \$27.00 |
| 661-006 | TINTED DOOR GLASS | | | STD |
| 654-011 | RH AND LH ELECTRIC POWERED WINDOWS | 4 | | \$151.00 |
| 663-023 | 2-PIECE TINTED CURVED GASKET MOUNTED HEATED WINDSHIELD | | | \$473.00 |
| 659-025 | 2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL | | | STD |
| Cab Interior | | | | |
| 707-1D4 | SMOKY MOUNTAIN GRAY VINYL PREMIUM INTERIOR | | | \$163.00 |
| 70K-005 | BLACK HARD TRIM | | | STD |
| 706-049 | BASE LEFT HAND DOOR TRIM | | | STD |
| 708-049 | BASE RIGHT HAND DOOR TRIM | | | STD |
| 772-007 | BLACK MATS WITH DOUBLE INSULATION | | | \$37.00 |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-----------|--|-----------------|----------------|--------------|
| 785-007 | DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE | | | STD |
| 691-001 | FORWARD ROOF MOUNTED CONSOLE | | | STD |
| 694-009 | PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR | | | STD |
| 697-012 | 14"X7.75" DOCUMENT POUCH MOUNTED ON BACK WALL BETWEEN SEATS | | | \$33.00 |
| 693-025 | LH AND RH DOOR MAP POCKETS | | | STD |
| 741-029 | COAT HOOK ON RH BACKWALL OF CAB | | | STD |
| 742-026 | (1) CUP HOLDER MOUNTED IN BOTTOM CENTER OF DASH | | | \$14.00 |
| 680-034 | TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER | | | STD |
| 320-004 | STANDARD WIRING | | | STD |
| 700-023 | HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER | | | STD |
| 701-010 | HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER AND OUTSIDE PRE-FILTER | | | STD |
| 703-005 | MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH | | | STD |
| 170-019 | STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES | | | \$28.00 |
| 130-033 | DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR | | | STD |
| 698-001 | RADIATOR MOUNTED AIR CONDITIONER CONDENSER | | | STD |
| 702-002 | BINARY CONTROL, R-134A | | | STD |
| 739-002 | ADDITIONAL CAB SIDEWALL INSULATION | 60 | 10 | \$162.00 |
| 285-019 | AUTOMATIC SELF-RESET CIRCUIT BREAKER IN MAIN DASH POWER DISTRIBUTION BOX AND CIRCUIT BREAKER/FUSE IN AUXILIARY POWER DISTRIBUTION BOXES | | | \$21.00 |
| 324-075 | DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS | | | STD |
| 655-001 | CAB DOOR LATCHES WITH MANUAL DOOR LOCKS | | | STD |
| 284-023 | (1) 12 VOLT POWER SUPPLY IN DASH | | | \$90.00 |
| 756-1D9 | PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER | 40 | | \$187.00 |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-----------------------------------|--|-----------------|----------------|--------------|
| 760-038 | NATIONAL 2 MAN TOOL/BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT | | | \$177.00 |
| 758-022 | BLACK MORDURA CLOTH DRIVER SEAT COVER | | | STD |
| 761-023 | BLACK MORDURA CLOTH PASSENGER SEAT COVER | | | STD |
| 763-006 | 3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS | | | N/C |
| 532-002 | ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN | | | STD |
| 540-020 | 2-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL(S) | | | (\$7.00) |
| 765-002 | DRIVER AND PASSENGER INTERIOR SUN VISORS | | | STD |
| Instruments & Controls | | | | |
| 185-002 | NON-ADJUSTABLE SUSPENDED PEDALS | | | STD |
| 87L-001 | ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK | | | N/C |
| 870-005 | STAR GAUGES WITH BRIGHT BEZELS | | | \$20.00 |
| 732-001 | BLACK DRIVER INSTRUMENT PANEL | | | STD |
| 734-001 | BLACK CENTER INSTRUMENT PANEL | | | STD |
| 486-001 | LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM | | | STD |
| 840-002 | 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES | | | STD |
| 198-002 | INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS | | | STD |
| 149-012 | CRUISE CONTROL SWITCHES IN THE CENTER PANEL | | | STD |
| 156-007 | KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY | | | STD |
| 811-001 | WARNING LAMP/LIGHT BAR DISPLAY, NON- DATA LINKED | | | STD |
| * 160-039 | DIAGNOSTICS | | | \$16.00 |
| 844-001 | 2 INCH ELECTRIC FUEL GAUGE | | | STD |
| 148-070 | ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE | | | \$83.00 |
| 163-013 | ENGINE REMOTE INTERFACE CONNECTOR IN CAB BETWEEN DRIVER AND PASSENGER SEATS | | | N/C |
| 856-001 | ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE | | | STD |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-691-9200

| Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-----------|--|-----------------|----------------|--------------|
| 864-001 | 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE | | | STD |
| 372-051 | CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS | | | N/C |
| 852-002 | ELECTRIC ENGINE OIL PRESSURE GAUGE | | | STD |
| 746-1B4 | AM/FM/WB WORLD TUNER RADIO WITH CD PLAYER, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939 | 10 | | \$215.00 |
| 747-002 | ROOF/OVERHEAD CONSOLE MOUNTED RADIO | | | N/C |
| 750-004 | (4) RADIO SPEAKERS IN CAB | | | N/C |
| 753-019 | AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR | 2 | | \$30.00 |
| 748-034 | POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE AND TOP OF DASH WITH CB TRAY | 5 | | \$19.00 |
| 749-006 | TOP OF DASH MOUNT CB RADIO PROVISION WITH PLATE AND STRAPS | 2 | | \$91.00 |
| 752-998 | NO CB ANTENNA, BRACKET OR LEAD | | | (\$74.00) |
| * 75A-800 | UHF/VHF IN DASH PREP PACKAGE RADIO-MTG,UHF/VHF | | | \$25.00 |
| * 75B-105 | FORWARD CENTER MTD ANTENNA-RADIO,UHF/VHF | | | \$39.00 |
| 810-042 | ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER | | | STD |
| 817-008 | STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BETWEEN DRIVER AND PASSENGER SEATS | | | \$52.00 |
| 812-001 | ELECTRONIC 3000 RPM TACHOMETER | | | STD |
| 813-998 | NO VEHICLE PERFORMANCE MONITOR | | | (\$998.00) |
| 8D1-998 | NO DETROIT CONNECT SERVICES SELECTED | | | N/C |
| 8Z1-998 | NO ZONAR SERVICES SELECTED | | | STD |
| 162-002 | IGNITION SWITCH CONTROLLED ENGINE STOP | | | STD |
| 329-064 | TWO IGNITION CONTROLLED EXTRA SWITCHES WITH INDICATOR LIGHT, 20 AMPS, WIRED BEHIND PASSENGER SEAT | | | \$42.00 |
| 482-001 | BW TRACTOR PROTECTION VALVE | | | N/C |
| 883-001 | TRAILER HAND CONTROL BRAKE VALVE | | | N/C |
| 836-001 | 2 INCH VOLTMETER | | | STD |
| 660-008 | SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY | | | STD |
| N 304-015 | CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH | | | STD |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

| | Data Code | Description | Weight Front | Weight Rear | Retail Price |
|-----------------------------------|-----------|---|-----------------|----------------|--------------|
| | 882-004 | TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR | | | N/C |
| | 299-037 | SELF CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITH BRAKE OVERRIDE | | | \$100.00 |
| | 298-036 | PACIFIC INSIGHT ELECTRONIC FLASHER | | | STD |
| Design | | | | | |
| | 065-000 | PAINT: ONE SOLID COLOR | | | STD |
| Color | | | | | |
| | 980-5F6 | CAB COLOR A: L0006EB WHITE ELITE BC | | | STD |
| | 96J-001 | CAB INTERIOR PAINTED SAME AS CAB COLOR | | | STD |
| | 986-020 | BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT | | | STD |
| | 962-972 | POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) | | | STD |
| | 966-972 | POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW) | | | STD |
| Certification / Compliance | | | | | |
| | 996-001 | U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS | | | STD |
| Secondary Factory Options | | | | | |
| | 82D-998 | NO PDI INSTALLED GRILLE/HOOD TRIM | | | STD |

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$152,917.00

Weight Summary

| | Weight Front | Weight Rear | Total Weight |
|-----------------------------|-----------------|----------------|-----------------|
| Factory Weight [†] | 8557 lbs | 4394 lbs | 12951 lbs |
| Dealer Installed Options | 0 lbs | 0 lbs | 0 lbs |
| Total Weight [†] | 8557 lbs | 4394 lbs | 12951 lbs |

Prepared for:
 Dianna Gilliland
 State of Nebraska and Political
 Sub divisions
 1526 K Street Suite 130
 Lincoln, NE 68508
 Phone: 402-471-2089

Prepared by:
 Terry Novotny
 WICK'S STERLING TRUCKS,
 INC.
 10502 S. 147TH ST.
 OMAHA, NE 68138
 Phone: 402-891-9200

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE

Other Factory Charges

| | | |
|---------|--|------------|
| PMU-017 | 2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR | \$300.00 |
| RD1-998 | NO DETROIT CONNECT | N/C |
| RAM-18A | MODEL YEAR 2018 WST 4700 ESCALATOR - \$800 | \$800.00 |
| P73-2WS | STANDARD DESTINATION CHARGE | \$2,025.00 |

Dealer Installed Options

| | | Weight Front | Weight Rear | Price |
|--------------------------------|--|-----------------|----------------|--------------|
| LOC1 | PER ATTACHED QUOTE FROM ASPEN EQUIPMENT | 0 | 0 | \$120,980.00 |
| Total Dealer Installed Options | | 0 lbs | 0 lbs | \$120,980.00 |

(*) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

Prepared for:
Dianna Gilliland
State of Nebraska and Political
Sub divisions
1526 K Street Suite 130
Lincoln, NE 68508
Phone: 402-471-2089

Prepared by:
Terry Novotny
WICK'S STERLING TRUCKS,
INC.
10502 S. 147TH ST.
OMAHA, NE 68138
Phone: 402-891-9200

QUOTATION

4700 SET-BACK FRONT AXLE CHASSIS
SET BACK AXLE - TRUCK
CUM L9 330 HP @ 2000 RPM, 2200 GOV RPM, 1000
LB/FT @ 1400 RPM
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH
PTO PROVISION
RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
AIRLINER 23,000# REAR SUSPENSION WITH CHAIN
CLEARANCE
DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE

14,600# FLAT LEAF FRONT SUSPENSION
110 INCH BBC STEEL CONVENTIONAL CAB
4125MM (162 INCH) WHEELBASE
7/16X3-9/16X11-1/8 INCH STEEL FRAME
(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
950MM (37 INCH) REAR FRAME OVERHANG
PARTIAL INNER FRAME REINFORCEMENT AT FRONT
SUSPENSION
BODY COMPANY INSTALLED ADDITIONAL FRONT
FRAME REINFORCEMENT FOR SNOW PLOW

| | | PER UNIT | TOTAL |
|---------------------------|----------------------|------------|------------|
| VEHICLE PRICE | TOTAL # OF UNITS (1) | \$ 77,672 | \$ 77,672 |
| EXTENDED WARRANTY | | \$ 0 | \$ 0 |
| DEALER INSTALLED OPTIONS | | \$ 120,980 | \$ 120,980 |
| CUSTOMER PRICE BEFORE TAX | | \$ 198,652 | \$ 198,652 |
| TAXES AND FEES | | | |
| FEDERAL EXCISE TAX (FET) | | \$ (175) | \$ (175) |
| TAXES AND FEES | | \$ 0 | \$ 0 |
| OTHER CHARGES | | \$ 0 | \$ 0 |
| TRADE-IN | | | |
| TRADE-IN ALLOWANCE | | \$ (0) | \$ (0) |
| BALANCE DUE | (LOCAL CURRENCY) | \$ 198,477 | \$ 198,477 |

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or
contact us at Information@dtffoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to
fit your business needs. For more information about our products and services, visit
our website at www.daimler-truckfinancial.com.

STATE OF NEBRASKA CONTRACT AMENDMENT

State Purchasing Bureau
1526 K Street, Suite 130
Lincoln, Nebraska 68508

Telephone: (402) 471-6500
Fax: (402) 471-2089

| | |
|---|--------------------------------|
| PAGE 1 of 4 | ORDER DATE 11/21/16 |
| BUSINESS UNIT 9000 | BUYER DIANNA GILLILAND (AS) |
| VENDOR NUMBER: 606727 | |
| VENDOR ADDRESS: WICKS STERLING TRUCKS INC 10602 S 147TH ST OMAHA NE 68138-3806 | |

CONTRACT NUMBER
14515 OC

 **COPY**

THE CONTRACT PERIOD IS:

MAY 19, 2016 THROUGH MAY 18, 2017

THIS CONTRACT HAS BEEN AMENDED PER THE FOLLOWING INFORMATION:

NO ACTION ON THE PART OF THE CONTRACTOR NEEDS TO BE TAKEN AT THIS TIME. ORDERS FOR THE MATERIALS AND/OR SERVICES WILL BE MADE AS NEEDED BY THE VARIOUS AGENCIES OF THE STATE.

THIS CONTRACT IS NOT AN EXCLUSIVE CONTRACT TO FURNISH THE MATERIALS AND/OR SERVICES SHOWN BELOW, AND DOES NOT PRECLUDE THE PURCHASE OF SIMILAR MATERIALS AND/OR SERVICES FROM OTHER SOURCES.

THE STATE RESERVES THE RIGHT TO EXTEND THE PERIOD OF THIS CONTRACT BEYOND THE TERMINATION DATE WHEN MUTUALLY AGREEABLE TO THE CONTRACTOR AND THE STATE OF NEBRASKA.

Original/Bid Document 6227 OF

Contract to supply and deliver TANDEM AXLE CHASSIS, MINIMUM 60,000 GVWR WITH FOURTEEN FOOT DUMP BODY, HYDRAULICS, PLOW HITCH AND WING to the State of Nebraska as per the attached specifications for the contract period May 19, 2016 through May 18, 2017. The contract may be renewed for four (4) additional one (1) year periods when mutually agreeable to the vendor and the State of Nebraska.

Vendor Contact: Terry Novotny
Phone: 402-891-9200
Fax: 402-895-2253
E-Mail: tnovotny@wickstrucks.com

Amendment One as attached. (ka 11/21/16)

| Line | Description | Estimated Quantity | Unit of Measure | Unit Price |
|--|--|--------------------|-----------------|--------------|
| 1 | TANDEM AXLE CHASSIS, MIN 60,000 GVWR W/14' DUMP BODY HYDRAULICS, PLOW HITCH AND WING | 30.0000 | EA | 158,854.0000 |
| MAKE AND MODEL: 2017 WESTERN STAR 4700 SF W/MONROE BODY ENGINE AND HORSEPOWER: DETROIT DD13 410HP GVWR: 60,000 | | | | |

11/21/16 *Dianna Gilliland* 11/21/16
PL BUYER
11/22/16
MATERIEL ADMINISTRATOR

RA3500(4184)0011(PSM)001 2/16/2016

STATE OF NEBRASKA CONTRACT AMENDMENT

State Purchasing Bureau
1526 K Street, Suite 130
Lincoln, Nebraska 68508

Telephone: (402) 471-6500
Fax: (402) 471-2088

| | |
|-----------------------|--------------------------------|
| PAGE 3 of 4 | ORDER DATE 11/21/16 |
| BUSINESS UNIT 9000 | BUYER DIANNA GILLILAND (AS) |
| VENDOR NUMBER: 506727 | |

CONTRACT NUMBER
14515 OC

| Line | Description | Estimated Quantity | Unit of Measure | Unit Price |
|------|---|--------------------|-----------------|--------------|
| 12 | MANUAL TRANSMISSION PARTS MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 13 | AUTOMATIC TRANSMISSION PARTS MANUAL | 30.0000 | EA | 122.0000 |
| 14 | ELECTRICAL WIRING DIAGRAM MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 15 | P.C. DIAGNOSTIC COMPATIBLE SOFTWARE WITH DATA LINK CONNECTION- PER YEAR | 30.0000 | EA | 500.0000 |
| 16 | V-PLOW WITH V-PLOW QUICK HITCH PER ATTACHMENT PAGE | 15.0000 | EA | 13,278.0000 |
| 17 | V-PLOW QUICK ATTACH HITCH WITHOUT V-PLOW PER ATTACHMENT PAGE | 15.0000 | EA | 2,406.0000 |
| 18 | RIGHT HAND BENCHING WING WING TO BE IN LIEU OF NON-BENCHING WING IN SPECIFICATIONS AND TO MEET SPECIFICATIONS IN ATTACHMENT PAGE TITLED "HIGH BENCHING WING" | 30.0000 | EA | 5,183.0000 ✓ |
| 19 | PRE WET SYSTEM PER ATTACHMENT PAGE | 30.0000 | EA | 3,973.0000 |
| 20 | DEDUCT FOR NO WING | 15.0000 | EA | -5,663.0000 |
| 21 | 16 FOOT BODY WITH FACTORY MOUNTED PUSHER AXLE PER ATTACHMENT PAGE | 15.0000 | EA | 7,981.0000 |
| 22 | FACTORY MOUNTED PUSHER AXLE 13200 STEERABLE PUSHER TO BE MOUNTED AS NEAR TO THE TANDEM AS POSSIBLE | 15.0000 | EA | 5,581.0000 |
| 23 | DEDUCT RIGHT HAND MID MOUNT WING TO BE IN LIEU OF NON BENCHING WING PER ATTACHMENT PAGE | 15.0000 | EA | -420.0000 |
| 24 | DEDUCT LEFT HAND MID MOUNT WING TO BE IN LIEU OF NON BENCHING WING PER ATTACHMENT PAGE | 15.0000 | EA | -470.0000 |


BUYER INITIALS

04/20/2016 10:50:00 AM 20160901

STATE OF NEBRASKA CONTRACT AMENDMENT

State Purchasing Bureau
1526 K Street, Suite 130
Lincoln, Nebraska 68608

Telephone: (402) 471-6500
Fax: (402) 471-2089

| | |
|-----------------------|--------------------------------|
| PAGE 2 of 4 | ORDER DATE 11/21/16 |
| BUSINESS UNIT 9000 | BUYER DIANNA GILLILAND (AS) |
| VENDOR NUMBER: 506727 | |

CONTRACT NUMBER
14515 OC

| Line | Description | Estimated Quantity | Unit of Measure | Unit Price |
|------|---|-----------------------|--------------------|---------------|
| | OPTIONS: | | | |
| | THE OPTIONS SHALL MEET OR EXCEED THE FOLLOWING REQUIREMENTS, WHICH ARE EXCEPTIONS TO SPECIFICATIONS, AND MUST BE FACTORY INSTALLED. BIDS MUST BE FURNISHED IF AVAILABLE FOR BELOW LIST AND NOT INCLUDED AS STANDARD EQUIPMENT OR REQUIRED IN MAIN PART OF THIS SPECIFICATION. | | | |
| 2 | DEDUCT FULLER 13 SPEED, MODEL RTLO 12913A OR RTLO 14913A TRANSMISSION TO BE MOST COMPATIBLE WITH ENGINE HORSEPOWER AND RPM IN LIEU OF ALLISON AUTOMATIC | 15.0000 | EA | -7,223.0000 |
| 3 | DEDUCT FULLER 10 SPEED MODEL RTO 14908LL IN LIEU OF ALLISON AUTOMATIC | 15.0000 | EA | -8,427.0000 |
| 4 | DEDUCT EATON FULLER ULTRASHIFT TRANSMISSION OR EQUIVALENT OEM AUTOMATED MANUAL TRANSMISSION TO BE MOST COMPATIBLE WITH ENGINE HORSEPOWER AND RPM IN LIEU OF ALLISON AUTOMATIC EATON FULLER ULTRASHIFT PLUS | 20.0000 | EA | -3,590.0000 |
| 5 | CHASSIS TECHNICAL REPAIR MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 6 | ENGINE SHOP REPAIR MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 7 | CHASSIS PARTS MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 8 | ENGINE PARTS MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 9 | PARTS CD-ROM FOR CHASSIS AND ENGINE | 30.0000 | EA | 310.0000 |
| 10 | MANUAL TRANSMISSION TECHNICAL REPAIR MANUAL ON LINE | 30.0000 | EA | 0.0000 |
| 11 | AUTOMATIC TRANSMISSION TECHNICAL REPAIR MANUAL | 30.0000 | EA | 73.0000 |


BUYER INITIALS

PK-1500HISAR0001 (PUSH)0001 2016/09/01

STATE OF NEBRASKA CONTRACT AMENDMENT

State Purchasing Bureau
1528 K Street, Suite 130
Lincoln, Nebraska 68508

Telephone: (402) 471-6500
Fax: (402) 471-2089

CONTRACT NUMBER
14515 OC

| | |
|-----------------------|--------------------------------|
| PAGE 4 of 4 | ORDER DATE 11/21/16 |
| BUSINESS UNIT 9000 | BUYER DIANNA GILLILAND (AS) |
| VENDOR NUMBER: 506727 | |

| Line | Description | Estimated Quantity | Unit of Measure | Unit Price |
|------|---|--------------------|-----------------|--------------|
| 25 | 3 JOYSTICK CONTROL IN LIEU OF SINGLE JOYSTICK TO CONTROL HOIST, PLOW AND WING FUNCTION TO BE FULLY PROPORTIONAL AND MEET ALL OTHER SPECIFICATIONS IF AVAILABLE | 30.0000 | EA | 1,799.0000 |
| 26 | DEDUCT FOR NO SPARE WHEEL AND TIRE | 30.0000 | EA | -742.0000 |
| 27 | CAB CHASSIS ONLY | 10.0000 | EA | 104,077.0000 |
| 28 | CAB CHASSIS ONLY TO INCLUDE ALL HYDRAULICS, PLOW HITCH, WING AND STATIONARY CAB SHIELD | 10.0000 | EA | 143,005.0000 |
| 29 | PLOW BALANCE/COUNTER BALANCE VALVE TO INCLUDE ALL REQUIRED ELECTRICAL CONNECTIONS, SWITCHES AND SOLENOIDS (TO REDUCE WEIGHT ON PLOW BLADE DURING PLOWING OPERATIONS) | 30.0000 | EA | 531.0000 |
| 30 | DEDUCT FOR MINIMUM GRADE 65 STEEL BODY MEETING ALL OTHER SPECIFICATIONS | 15.0000 | EA | -938.0000 |
| 31 | DEDUCT FOR STEEL STATIONARY CAB SHIELD IN LIEU OF STAINLESS STEEL CAB SHIELD | 15.0000 | EA | -800.0000 |
| 32 | ADDITIONAL CHARGES FOR DELIVERY OUTSIDE THE LINCOLN AREA | 1.0000 | MI | 1.0000 |


BUYER INITIALS

INSTRUCTIONS: 1. 11/21/16 11:00 AM 11/21/16 11:00 AM

File Compare Report (Differences)
April 14, 2017

| City of Lavalisa SA Swap Loader Per State Contract 14515 OC | | | State of Ne B25 5227 OF DD13 4000RDS 2018 Dist 1 | | |
|---|---|-----------|--|---|-----------|
| Data Code | Description | Price | Data Code | Description | Price |
| PRL-15T | WESTERN STAR 4700 PRL-15T (EFF:10/25/16) | STD | PRL-14T | WESTERN STAR 4700 PRL-14T (EFF:10/05/15) | STD |
| 001-451 | 4700 SET-BACK FRONT AXLE CHASSIS | \$162,060 | 001-450 | 4700 SET-FORWARD FRONT AXLE CHASSIS | \$164,240 |
| 002-004 | SET BACK AXLE - TRUCK | STD | 002-003 | SET FORWARD AXLE - TRUCK | STD |
| AA2-001 | VAN TRAILER | N/C | AA2-998 | NO TRAILER SPECIFIED | STD |
| AH6-001 | SINGLE (1) TRAILER | N/C | AH6-998 | NO TRAILERS | STD |
| 101-22R | CUM L9 330 HP @ 2000 RPM, 2200 GOV RPM, 1000 LB/FT @ 1400 RPM | -\$11,992 | 101-2X5 | DETROIT DD13 12.8L 410 HP @ 1625 RPM, 1900 GOV RPM, 1450 LB/FT @ 975 RPM | STD |
| 79T-998 | NO PTO MODE RPM INCREMENT | N/C | 79T-001 | PTO MODE RPM INCREMENT - 25 RPM | N/C |
| 79W-998 | REMOTE PTO DISABLED | N/C | 79W-001 | ONE REMOTE PTO SPEED | N/C |
| 79X-998 | NO REMOTE PTO SPEED 1 SETTING | N/C | 79X-005 | REMOTE PTO SPEED 1 SETTING - 900 RPM | N/C |
| 80G-002 | PTO MINIMUM RPM - 700 | N/C | 80G-001 | PTO MINIMUM RPM - 600 | N/C |
| 80J-002 | REGEN INHIBIT SPEED THRESHOLD - 5 MPH | N/C | 80J-998 | NO REGEN INHIBIT SPEED THRESHOLD | N/C |
| PMU-017 | 2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR | \$300 | PMU-017 | 2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR | \$350 |
| 014-108 | SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR | \$367 | 014-108 | SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR | \$392 |
| 292-148 | (3) ALLIANCE ABSORBED GLASS MAT MODEL 7A31, GROUP 31, 12 VOLT MAINTENANCE FREE 2180 CCA THREADED STUD BATTERIES | STD | 292-071 | (3) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 3375 CCA THREADED STUD BATTERIES | -\$196 |
| 290-1AC | PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB | STD | 290-017 | BATTERY BOX FRAME MOUNTED | \$50 |
| 282-013 | BATTERY BOX MOUNTED UNDER PASSENGER SEAT | STD | 282-042 | LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB | \$253 |
| 289-006 | PLASTIC BATTERY BOX COVER | STD | 289-011 | NON-POLISHED BATTERY BOX COVER WITH 3/16 INCH TETHER ON FORWARD SIDE OF COVER/BOX | \$15 |
| 293-998 | NO BATTERY SHUTOFF SWITCH | STD | 293-060 | POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH WITH LOCKING PROVISION MOUNTED OUTBOARD DRIVER SEAT | \$254 |
| 295-998 | NO JUMPSTART POST | STD | 295-029 | POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER | \$86 |

| City of LaVista SA Swap Loader Per State Contract 14515 00 | | | State of Ne B25-5227 OF DD13 4000RDS 2018 Dist 1 | | |
|--|--|----------|--|--|----------|
| Data Code | Description | Price | Data Code | Description | Price |
| 107-032 | CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE | N/C | 107-044 | BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE | N/C |
| 128-076 | CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH | N/C | 128-002 | JACOBS COMPRESSION BRAKE | STD |
| 273-018 | HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE | N/C | 273-036 | BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH | N/C |
| 110-003 | CUMMINS SPIN ON FUEL FILTER | N/C | 110-068 | DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR | N/C |
| 118-008 | COMBINATION FULL FLOW/BYPASS OIL FILTER | N/C | 118-001 | FULL FLOW OIL FILTER | N/C |
| 266-017 | 1300 SQUARE INCH ALUMINUM RADIATOR | N/C | 266-057 | 1500 SQUARE INCH ALUMINUM RADIATOR | N/C |
| 270-016 | RADIATOR DRAIN VALVE | N/C | 270-023 | HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE | STD |
| 168-998 | NO RADIATOR/OIL PAN GUARD | -\$94 | 168-998 | NO RADIATOR/OIL PAN GUARD | STD |
| 360-013 | 1350 ADAPTER FLANGE FOR FRONT PTO PROVISION | \$1,329 | 360-013 | 1350 ADAPTER FLANGE FOR FRONT PTO PROVISION | \$542 |
| 138-011 | PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER | N/C | 138-005 | PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER | N/C |
| 132-004 | ELECTRIC GRID AIR INTAKE WARMER | N/C | 132-998 | NO AIR INTAKE WARMER | N/C |
| 155-058 | DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH | N/C | 155-074 | DELCO 12V MOD 3.175-39MT+ OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH | STD |
| 342-584 | ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION | \$6,967 | 342-1M1 | ALLISON 4000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION | \$20,674 |
| 353-060 | BODY LIGHTING INTERFACE BLUNT CUT WIRING WITH FUSE PANEL WIRE MOUNTED BETWEEN DRIVER AND PASSENGER SEATS | \$499 | 353-061 | BODY LIGHTING INTERFACE BLUNT CUT WIRING WITH FUSE PANEL WIRE MOUNTED BETWEEN DRIVER AND PASSENGER SEATS WITH ADDITIONAL 150 AMP SERVICE | \$505 |
| 362-998 | NO MAIN TRANSMISSION MOUNTED PTO | STD | 362-035 | CUSTOMER INSTALLED CHELSEA 277 SERIES PTO | N/C |
| 363-998 | NO PTO MOUNTING LOCATION SPECIFIED | STD | 363-001 | PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION | N/C |
| 370-015 | WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK | STD | 370-011 | WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED | N/C |
| 400-1A6 | DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE | -\$1,492 | 400-1BB | DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE | \$1,487 |
| 402-020 | MERITOR 15X4 Q+ CAM FRONT BRAKES | N/C | 402-030 | MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES | STD |
| 427-001 | FRONT BRAKE DUST SHIELDS | \$51 | 427-001 | FRONT BRAKE DUST SHIELDS | \$106 |
| 405-003 | HALDEX AUTOMATIC FRONT SLACK ADJUSTERS | STD | 405-002 | MERITOR AUTOMATIC FRONT SLACK ADJUSTERS | -\$48 |
| 536-050 | TRW THP-60 POWER STEERING | N/C | 536-055 | TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR | N/C |
| 534-003 | 4 QUART POWER STEERING RESERVOIR | \$51 | 534-003 | 4 QUART POWER STEERING RESERVOIR | N/C |
| 533-998 | NO POWER STEERING OIL COOLER | STD | 533-001 | OIL/AIR POWER STEERING COOLER | N/C |
| 40T-003 | SYNTHETIC 50W FRONT AXLE LUBE | STD | 40T-002 | SYNTHETIC 75W-90 FRONT AXLE LUBE | -\$15 |

| City of LaVista SA Swap Loader Per State Contract 14515 OC | | | State of Ne B25-5227 OF DD13 4000RDS 2018 Dist 1 | | |
|--|--|----------|--|---|---------|
| Data Code | Description | Price | Data Code | Description | Price |
| 620-003 | 14,600# FLAT LEAF FRONT SUSPENSION | -\$17 | 620-006 | 20,000# FLAT LEAF FRONT SUSPENSION | \$147 |
| 420-051 | RS-23-160 23,000# R-SERIES SINGLE REAR AXLE | -\$8,920 | 420-1K3 | MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE | STD |
| 421-538 | 5.38 REAR AXLE RATIO | N/C | 421-433 | 4.33 REAR AXLE RATIO | N/C |
| 424-001 | IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING | N/C | 424-003 | IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING | STD |
| 386-073 | MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES | -\$91 | 386-074 | MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES | \$367 |
| 388-998 | NO INTERAXLE (#3) DRIVELINE | N/C | 388-073 | MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES | STD |
| 452-001 | DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE | \$667 | 452-006 | DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES | \$1,303 |
| 878-018 | (1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE | N/C | 878-023 | (1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE | N/C |
| 87A-998 | NO INTERAXLE LOCK WIRING/LOGIC | N/C | 87A-005 | INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH | STD |
| 425-002 | REAR BRAKE DUST SHIELDS | \$59 | 425-002 | REAR BRAKE DUST SHIELDS | \$115 |
| 426-074 | HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS | N/C | 426-075 | HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS | STD |
| 428-002 | MERITOR AUTOMATIC REAR SLACK ADJUSTERS | -\$60 | 428-003 | HALDEX AUTOMATIC REAR SLACK ADJUSTERS | STD |
| 622-216 | AIRLINER 23,000# REAR SUSPENSION WITH CHAIN CLEARANCE | -\$1,360 | 622-1H2 | HENDRICKSON PRIMAX EX 46,000# REAR AIR SUSPENSION | \$2,518 |
| 621-007 | AIRLINER HIGH POSITION RIDE HEIGHT | STD | 621-125 | HENDRICKSON PRIMAX 10.00" RIDE HEIGHT | N/C |
| 431-001 | STANDARD AXLE SEATS IN AXLE CLAMP GROUP | N/C | 431-003 | AXLE CLAMPING GROUP | STD |
| 624-998 | NO AXLE SPACING | N/C | 624-009 | 54 INCH AXLE SPACING | STD |
| 888-047 | MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE | STD | 888-047 | MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE | \$29 |
| 439-004 | REAR SHOCK ABSORBERS - ONE AXLE (AIR RIDE SUSPENSION) | N/C | 439-005 | REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION) | N/C |
| 483-004 | WABCO OIL COALESCING FILTER FOR AIR DRYER | \$25 | 483-004 | WABCO OIL COALESCING FILTER FOR AIR DRYER | STD |
| 460-008 | STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL | \$116 | 460-1AH | STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL WITH NO OUTBOARD BRACKETS | \$265 |
| 607-005 | CLEAR FRAME RAILS 36 INCHES FROM BACK OF CAB OUTBOARD OF BOTH FRAME RAILS | \$63 | 607-998 | CHASSIS CONFIGURATION - NONE | STD |
| 914-001 | AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS | N/C | 914-012 | AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK WITH 36 INCHES ADDITIONAL LINE END OF FRAME | \$15 |
| 545-412 | 4125MM (162 INCH) WHEELBASE | N/C | 545-560 | 5600MM (220 INCH) WHEELBASE | N/C |

| City of LaVista SA Swap Loader Per State Contract 14515 OC | | | State of Ne B25 5227 OF DD13 4000RDS 2018 Dist 1 | | |
|--|---|--------|--|--|--------|
| Data Code | Description | Price | Data Code | Description | Price |
| 546-102 | 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI | \$479 | 546-102 | 7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI | \$960 |
| 552-140 | 950MM (37 INCH) REAR FRAME OVERHANG | N/C | 552-080 | 1600MM (63 INCH) REAR FRAME OVERHANG | STD |
| 55W-003 | FRAME OVERHANG RANGE: 31 INCH TO 40 INCH | N/C | 55W-006 | FRAME OVERHANG RANGE: 61 INCH TO 70 INCH | N/C |
| 556-997 | OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203 | -\$786 | 556-1E5 | 14 INCH PAINTED STEEL BUMPER | \$213 |
| 574-998 | NO LICENSE PLATE MOUNTING | N/C | 574-001 | BUMPER MOUNTING FOR SINGLE LICENSE PLATE | STD |
| 204-151 | 60 GALLON/227 LITER ALUMINUM FUEL TANK - LH | STD | 204-156 | 100 GALLON/378 LITER ALUMINUM FUEL TANK - LH | \$110 |
| 215-007 | PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS | \$347 | 215-007 | PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS | \$331 |
| 122-1H7 | DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR | N/C | 122-1K4 | DAVCO 487 FUEL/WATER SEPARATOR WITH ESOC AND 12 VOLT PREHEATER | \$552 |
| 221-001 | FUEL COOLER | STD | 221-998 | NO FUEL COOLER | -\$142 |
| 094-2F6 | CONTINENTAL HDR2 11R22.5 14 PLY RADIAL REAR TIRES | -\$348 | 094-2DY | CONTINENTAL HDC1 11R22.5 16 PLY RADIAL REAR TIRES | -\$400 |
| 528-004 | TIRE QTY - REAR AXLE: 4 | N/C | 528-008 | TIRE QTY - REAR AXLE: 8 | N/C |
| 505-428 | ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS | STD | 505-524 | MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS | -\$288 |
| 754-998 | NO FENDER EXTENSION | STD | 754-001 | 2 INCH FENDER EXTENSIONS | \$106 |
| 678-034 | LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST | STD | 678-039 | LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERT AND LH AND RH INTERIOR GRAB HANDLES MOUNTED TO A POST | N/C |
| 644-004 | FIBERGLASS HOOD | STD | 644-006 | FIBERGLASS HOOD WITH ACCESS HATCHES | \$623 |
| 727-012 | DUAL HADLEY SD-978 28 INCH RECTANGULAR AIR HORNS | STD | 727-096 | DUAL ROUND AIR HORNS, SINGLE BASE, MOUNTED UNDER CAB | -\$114 |
| 726-001 | SINGLE ELECTRIC HORN | STD | 726-002 | DUAL ELECTRIC HORNS | \$7 |
| 728-002 | DUAL HORN SHIELDS | STD | 728-998 | NO HORN SHIELD | N/C |
| 327-012 | SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS | \$22 | 327-998 | NO OTHER LIGHTS | STD |
| 314-998 | NO ROADLIGHTS | STD | 314-823 | WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH SINGLE CONNECTION AT LH FORWARD | \$98 |
| 294-1AX | INDIVIDUAL LED STOP/TURN/BACKUP LIGHTS GROMMET MOUNTED OUTBOARD OF RAIL | \$210 | 294-001 | INTEGRAL STOP/TAI/BACKUP LIGHTS | STD |
| 300-015 | STANDARD FRONT TURN SIGNAL LAMPS | STD | 300-053 | LED CHROME MIRROR MOUNTED TURN SIGNAL LAMPS IN ADDITION TO STANDARD | \$171 |
| 318-1D7 | (2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER | \$160 | 318-998 | NO UTILITY/ADVERTISING LIGHT | STD |

| City of LaVista SA Swap Loader Per State Contract 14515 00 | | | State of Ne B25 5227 OF DD13 4000RDS 2018 Dist 1 | | |
|--|---|-------|--|--|-------|
| Data Code | Description | Price | Data Code | Description | Price |
| 744-008 | DUAL STAINLESS STEEL HEATED MIRRORS | \$44 | 744-008 | DUAL STAINLESS STEEL HEATED MIRRORS | \$61 |
| 677-998 | NO CAB MOUNTED STEPS | STD | 677-054 | RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER | \$326 |
| 769-998 | NO LOWER DOOR WINDOW | STD | 769-002 | LOWER RH DOOR WINDOW WITH FRESNEL LENS | \$110 |
| 663-023 | 2-PIECE TINTED CURVED GASKET MOUNTED HEATED WINDSHIELD | \$473 | 663-023 | 2-PIECE TINTED CURVED GASKET MOUNTED HEATED WINDSHIELD | \$500 |
| 707-1D4 | SMOKY MOUNTAIN GRAY VINYL PREMIUM INTERIOR | \$163 | 707-1D3 | PRAIRIE BUCKSKIN VINYL PREMIUM INTERIOR | \$184 |
| 70K-005 | BLACK HARD TRIM | STD | 70K-007 | TAN HARD TRIM | N/C |
| 772-007 | BLACK MATS WITH DOUBLE INSULATION | \$37 | 772-007 | BLACK MATS WITH DOUBLE INSULATION | \$39 |
| 785-007 | DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE | STD | 785-016 | DASH MOUNTED ASH TRAY AND (1) POWER OUTLET | N/C |
| 697-012 | 14"X7.75" DOCUMENT POUCH MOUNTED ON BACK WALL BETWEEN SEATS | \$33 | 697-998 | NO STORAGE COMPARTMENT CAB, CAB/SLEEPER BACKWALL | N/C |
| 680-034 | TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER | STD | 680-035 | TWO-TONE CHARCOAL UPPER/BUCK TAN LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER | N/C |
| 700-023 | HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER | STD | 700-014 | HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL | \$63 |
| 170-019 | STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES | \$28 | 170-045 | STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY | \$4 |
| 739-002 | ADDITIONAL CAB SIDEWALL INSULATION | \$162 | 739-001 | CAB INSULATION | STD |
| 284-023 | (1) 12 VOLT POWER SUPPLY IN DASH | \$90 | 284-998 | NO POWER SUPPLY SLEEPER/CAB | STD |
| 758-022 | BLACK MORDURA CLOTH DRIVER SEAT COVER | STD | 758-039 | MORDURA CLOTH DRIVER SEAT | N/C |
| 761-023 | BLACK MORDURA CLOTH PASSENGER SEAT COVER | STD | 761-039 | MORDURA CLOTH PASSENGER SEAT | N/C |
| 763-006 | 3 POINT DRIVER AND PASSENGER AND 2 POINT CENTER FRONT SEAT BELT RETRACTORS | N/C | 763-003 | 3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS | STD |
| 540-020 | 2-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL(S) | -\$7 | 540-020 | 2-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL(S) | N/C |
| 198-002 | INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS | STD | 198-003 | DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS | \$41 |
| 845-998 | NO FUEL FLOW GAUGE | N/C | 845-011 | FUEL FILTER RESTRICTION INDICATOR | N/C |
| 854-998 | NO ENGINE OIL TEMPERATURE GAUGE | STD | 854-001 | ENGINE OIL TEMPERATURE GAUGE | N/C |
| 372-051 | CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS | N/C | 372-035 | (1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP | \$113 |
| 1U1-001 | TOP OF DASH NAVIGATION PREP WITH POWER AND GROUND | \$31 | 1U1-998 | NO NAVIGATION SYSTEM | STD |

| City of LaVista SA Swap Loader Per State Contract 14515 OC | | | State of Ne B25 5227 OF DD13.4000RDS 2018 Dist 1 | | |
|--|--|-------|--|---|--------|
| Data Code | Description | Price | Data Code | Description | Price |
| 746-1B4 | AM/FM/WB WORLD TUNER RADIO WITH CD PLAYER, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939 | \$215 | 746-114 | AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939 | \$236 |
| 753-019 | AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR | \$30 | 753-019 | AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR | \$29 |
| 748-026 | POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE | STD | 748-998 | NO CB RADIO/PROVISION | -\$21 |
| 752-998 | NO CB ANTENNA, BRACKET OR LEAD | -\$74 | 752-998 | NO CB ANTENNA, BRACKET OR LEAD | -\$73 |
| 812-001 | ELECTRONIC 3000 RPM TACHOMETER | STD | 812-003 | ELECTRONIC 3000 RPM TACHOMETER WITH HOUR METER | \$35 |
| 329-064 | TWO IGNITION CONTROLLED EXTRA SWITCHES WITH INDICATOR LIGHT, 20 AMPS, WIRED BEHIND PASSENGER SEAT | \$42 | 329-064 | TWO IGNITION CONTROLLED EXTRA SWITCHES WITH INDICATOR LIGHT, 20 AMPS, WIRED BEHIND PASSENGER SEAT | \$124 |
| 304-015 | CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH | STD | 304-026 | CAB MARKER LIGHT AND HEADLIGHT SWITCH WITH SEPARATE SWITCH AND TERMINALS FOR CUSTOMER FURNISHED SNOW PLOW LIGHTS AND TURN SIGNALS | \$288 |
| 299-037 | SELF CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITH BRAKE OVERRIDE | \$100 | 299-037 | SELF CANCELING TURN SIGNAL SWITCH WITH INTEGRAL HEADLAMP DIMMER WITH BRAKE OVERRIDE | \$96 |
| 96F-998 | NO SPARE WHEEL PAINT | STD | 96F-972 | POWDER WHITE (N0008EA) SPARE WHEEL/RIM (PKWHT21, TKWHT21, W, TW) | N/C |
| 964-998 | NO BUMPER PAINT | N/C | 964-993 | BUMPER PAINTED SAME AS CHASSIS | STD |
| ZCX-002 | VARIABLE PAYLOAD DISTRIBUTION | N/C | ZCX-001 | WATER LEVEL PAYLOAD DISTRIBUTION | N/C |
| 160-039 | DIAGNOSTICS | \$16 | 160-039 | 1 HD ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND 1 SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR CENTER OF DASH | \$18 |
| 434-001 | CAM BRAKE AUXILIARY SUPPORT BRACKETS | \$25 | 434-005 | BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS | N/C |
| 093-2DV | CONTINENTAL HSC1 12R22.5 16 PLY RADIAL FRONT TIRES | \$48 | 093-2GV | CONTINENTAL HTC1 425/65R22.5 20 PLY RADIAL FRONT TIRES | \$862 |
| 760-038 | NATIONAL 2 MAN TOOL/BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT | \$177 | 760-171 | NATIONAL 2000 SERIES HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH ACTIVE AIR LUMBAR SUPPORT | -\$605 |
| 75A-002 | UHF/VHF RADIO POWER/GROUND HARNESS TO OVERHEAD INSTRUMENT PANEL | \$12 | 75A-800 | PREP KIT FOR UNDER DASH MOUNTED VHF RADIO | \$53 |
| 479-015 | AIR DRYER FRAME MOUNTED | STD | 479-006 | AIR DRYER MOUNTED OUTBOARD ON RH RAIL | N/C |
| 756-1D9 | PREMIUM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION, FORWARD AND REAR CUSHION TILT, ADJUSTABLE SHOCK ABSORBER | \$187 | 756-171 | NATIONAL 2000 SERIES HIGH BACK AIR SUSPENSION DRIVER SEAT WITH ACTIVE AIR LUMBAR SUPPORT | -\$81 |
| 502-433 | ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS | STD | 502-566 | MAXION 10035 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS | \$184 |
| 558-998 | NO FRONT TOW HOOKS | STD | 558-001 | FRONT TOW HOOKS - FRAME MOUNTED | \$57 |

| City of LaVista SA Swap Loader Per State Contract 14515 OC | | | State of Ne B25 5227 OF DD13 4000RDS 2018 Dist 1 | | |
|--|-------------------------------------|-------|--|---|-------|
| Data Code | Description | Price | Data Code | Description | Price |
| 980-5F6 | CAB COLOR A: L0006EB WHITE ELITE BC | STD | 980-UHG | CAB COLOR A: HSB921249 SAFETY YELLOW PPG | N/C |
| N/A | No selection | N/C | 79K-007 | PTO MODE ENGINE RPM LIMIT - 1100 RPM | N/C |
| N/A | No selection | N/C | 79M-002 | PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED | N/C |
| N/A | No selection | N/C | 80L-003 | ENABLE DPF REGEN ZONE 1 WITH AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE | N/C |

150,444.00
Less State Disc- 75,022.00
75,422.00

198,314.00
Less State Disc - 94,237.00
104,077.00



ANKENY BRANCH LOCATION: 1526 SE Cortina Drive, Ankeny, Iowa 50021 - Phone: (515) 965-1000 - Fax: (515) 965-1780 - Website: www.aspenequipment.com

Cust Name: CITY OF LA VISTA

Quote Number:

Quote Date:

4/3/2017

Contact: Ray Crane

CITY OF LA VISTA-48-HEN-42828-9-14-v1

Phone:

Fax:

E-Mail:

rrcrane@cityoflavista.org

Dealership: Wicks

Contact: Terry Novotny

Aspen Equipment is pleased to offer the following quotation for your consideration

| Qty | Part/Spec Number | Description | Installed |
|-----|------------------|--|--------------|
| 1 | Plow Truck | City of LaVista Plow truck with the following specifications: | \$120,980.00 |
| 1 | Dump Body | Henderson MKE-SA 10'6" MKE Dump Body w/ A-frame and rollers 30" side height, tailgate 8" above sides, 2" wide board pockets 3/16" AR400 floor, 8" I-beam longslits, 10ga 201SS sides/headsheets single weld on side brace, rear corner posts- 10ga 201SS 10ga 201SS tailgate w/ single horizontal brace, manual tailgate release, SS bushings 2 light holes in rear corners w/ LED S/T/T and LED strobes Stationary Cabshield w/ multidirectional LED strobes Swaploader SL2418HD-Part#50H71 | |
| 1 | 2.0 Box Hoist | Swaploader SL2418HD-Part#50H71 | |
| 1 | 2.1 | Installation Price of Swaploader SL105 to SL2418HD | |
| 1 | 2.3 | Paint Swaploader frame black (SL-180 to SL2418) | |
| 1 | 2.10 | Install 1 set of mudflaps for Swaploader installation | |
| 1 | 2.12 | Swaploader LED-LB Rear light bar | |
| 1 | 1.141 | Stationary cab shield adder w/2 shovel holders (SS201) | |
| 1 | Snow Plow | Henderson 12' x 42" RSP, Integral shield, 3/8" poly moldboard 3" x 1 1/2" x 10" reversing cylinders 12" rubber deflector w/ SS backer. 36" plastic side markers Low profile quick hitch, 30.5" center to center width Std 5/8" x 8" one piece AASHTO punch cutting edge | |
| 1 | 5.1 | Install front plow hitch. Includes bumper to frame mount kit, hard plumbing from existing hydraulic valve to double acting lift cylinder and 2 sets quick couplers for plow angling | |
| 1 | 5.3 | Front channel bumpers | |
| 1 | 6.1 | Installation of Selected Plow (Plow Side Only) | |
| 1 | Hydraulics | Force America Hydraulics w/ 5100EX controller, per customer specifications | |
| 1 | 9.201 | Constant mesh PTO & TXV92, 5.6 CID pump Install | |
| 1 | 9.1 | Installation (Hose, plumbing, hardware, labor, etc.) of hydraulics | |
| 1 | V-Box Spreader | Henderson FSHII dual auger 201SS w/ swaploader subframe and rear rollers 5.6 CY capacity. Dual 7" dia augers, Planetary gearcase 3.6:1. Flow divider factory Installed from reservoir to pump to valve Tilt up spinner w/ hand wrench. 201SS inverted vee, installed. Std top grate screens ICC Lights | |

Continued On Next Page

Submitted by,

Kelly Griffith
402-594-4615

- * F.O.B.: Ankeny, IA (Unless otherwise specified)
- * Equipment Specifications subject to change
- * Quote valid for 30 days from date of quotation

* Chassis modifications including, but not limited to alterations or relocation of components related to fuel tanks, air tanks, brakes, exhaust systems, battery boxes, protrusions above and below the frame rails, shortening or lengthening frame rails and the like will be added to the selling price. **Mfg's Surcharges may be added to this quotation.

Exhaust Systems: With the new EPA mandated diesel exhaust systems for 2007 and newer many changes are taking place. Manufacturers are often unable to depict accurately how the exhaust systems are configured and have difficulty stipulating whether certain components (i.e. PTOs and pumps) may fit in the confined spaces beneath the truck. 2007 EPA COMPLIANT DIESEL EXHAUST SYSTEMS CANNOT BE MODIFIED, RELOCATED OR REPLACED BY ASPEN EQUIPMENT. Due to evolving designs, Aspen Equipment can not maintain expertise on every chassis/engine/transmission/exhaust configuration possible, regardless of who orders or specifies it. Nor can Aspen Equipment guarantee that a chassis ordered today will not change in design prior to delivery from the factory. Therefore, Aspen Equipment does not warrant that quoted products can be installed on a chassis without modifications to the chassis or products installed. As such, Aspen Equipment will not be responsible for the cost of modifications due to exhaust systems conflicting with the installation of quoted products. Aspen Equipment will make every reasonable effort to ensure that installations are completed without additional charges to the customer.



CORPORATE HEADQUARTERS: 9150 Pillsbury Avenue South, Bloomington, MN 55420-3688 - Phone: (952)888-2525 - Fax: (952)658-7157 - Website: www.aspenequipment.com

Cust Name: CITY OF LA VISTA

Quote Number:

Quote Date:

4/3/2017

Contact: Ray Crane

CITY OF LA VISTA-48-HEN-42828-9-14-v1

Phone:

Fax:

Dealership: Wicks

Contact: Terry Novotny

Aspen Equipment is pleased to offer the following quotation for your consideration

| Qty | Part/Spec Number | Description | Installed |
|-----|-------------------------------|---|-----------|
| 1 | 8.1 | Installation (Swaploader Mount) of Sander, price includes hose, fittings | |
| 1 | Prewet | Dual 200 gallon poly liquid tanks for FSH spreader, hydraulic hydraulic powered. 4.1 GPM bronze gear pump std variable displacement nozzles 304SS Mounting hardware | |
| 1 | 8.134 | Install PWS-H hydraulic Prewet kit | |
| 1 | Wing | Henderson 8' mid-mount extendable wing | |
| 1 | 4.1 | 3/4" x 6" carbide cutting edge Installation as mid mount, behind cab, Price includes all labor, hose and fittings and plumbing to existing hydraulic valve. Truck frame must be clean and unobstructed (bulkhead couplers standard) | |
| 1 | 4.2 Henderson Build Note: | *** (PT# 121137 & 121138) 35" x 19" Cheek Plates & Cross tubes mounting kit Extend length of push beam attachment brackets on rear of wing | |
| 1 | 1.169 | Snowplow halogen headlights with turn signals | |
| 1 | 1.172 | Fender mounted plow headlights - stainless steel | |
| 1 | 7.0 Pup Hitch | Aspen Equipment 3/4" thick hitch plate w/ Buyer P45AC4 pintle hook | |
| 1 | 9.6 Aspen Custom Note: | Relocate chassis supplied air gladhands to rear hitch Chassis must be supplied with air to rear of frame. | |
| 1 | 1.164 | Back up alarm | |
| 1 | 1.246 | Minimizer M100BA poly fenders for single axle chassis | |
| 1 | 8.125 | Mud flaps w/anti sail brackets | |
| 1 | GL3000PMC | Wing-Tow Plow Guidance Laser system installed | |
| 1 | Strobe Light System | Sound Off Signal 6 corner strobe system | |
| 3 | 11.294 Strobe Installation PR | Mount strobe pair, route wire to switch, tie-up and guard. | |
| 2 | 11.342 LB383SST | Oval Strobe mounting box, Stainless Steel | |
| 1 | Strobe mounting note: | 1 oval grommet light ea. rear corner post facing rearward. 1 LoProfile beacon light ea. corner of cab shield mounted on tele tubes Blue/Amber/White beacon color | |
| 1 | 1.178 | Telescoping tubes for strobe lights 1 oval grommet light ea. rear of sander in oval strobe box facing rearward. | |

Continued On Next Page

Submitted by,

Kelly Griffith

402-594-4615

- F.O.B.: Ankeny, IA (Unless otherwise specified)
- Equipment Specifications subject to change
- Quote valid for 30 days from date of quotation

* Chassis modifications including, but not limited to alterations or relocation of components related to fuel tanks, air tanks, brakes, exhaust systems, battery boxes, protrusions above and below the frame rails, shortening or lengthening frame rails and the like will be added to the selling price. **Mfg's Surcharges may be added to this quotation.

Exhaust Systems: With the new EPA mandated diesel exhaust systems for 2007 and newer many changes are taking place. Manufacturers are often unable to depict accurately how the exhaust systems are configured and have difficulty stipulating whether certain components (i.e. PTOs and pumps) may fit in the confined spaces beneath the truck. 2007 EPA COMPLIANT DIESEL EXHAUST SYSTEMS CANNOT BE MODIFIED, RELOCATED OR REPLACED BY ASPEN EQUIPMENT. Due to evolving designs, Aspen Equipment can not maintain expertise on every chassis/engine/transmission/exhaust configuration possible, regardless of who orders or specifies it. Nor can Aspen Equipment guarantee that a chassis ordered today will not change in design prior to delivery from the factory. Therefore, Aspen Equipment does not warrant that quoted products can be installed on a chassis without modifications to the chassis or products installed. As such, Aspen Equipment will not be responsible for the cost of modifications due to exhaust systems conflicting with the installation of quoted products. Aspen Equipment will make every reasonable effort to ensure that installations are completed without additional charges to the customer.



CORPORATE HEADQUARTERS: 9150 Pillsbury Avenue South, Bloomington, MN 55420-3686 - Phone: (952)888-2525 - Fax: (952)656-7157 - Website: www.aspenequipment.com

Cust Name: CITY OF LA VISTA

Quote Number:

Quote Date:

4/3/2017

Contact: Ray Crane

CITY OF LA VISTA-48-HEN-42828-9-14-v1

Phone:

Fax:

Dealership: Wicks

Contact: Terry Novotny

Aspen Equipment is pleased to offer the following quotation for your consideration

| Qty | Part/Spec Number | Description | Installed |
|-----|------------------|-------------|-----------|
|-----|------------------|-------------|-----------|

Quote Sub Total: \$120,980.00

Submitted by,

Estimated Sales Tax: \$0.00

Kelly Griffith
402-594-4615

Total: \$120,980.00

- * F.O.B.: Ankeny, IA (Unless otherwise specified)
- * Equipment Specifications subject to change
- * Quote valid for 30 days from date of quotation

* Chassis modifications including, but not limited to alterations or relocation of components related to fuel tanks, air tanks, brakes, exhaust systems, battery boxes, protrusions above and below the frame rails, shortening or lengthening frame rails and the like will be added to the selling price. **Mfg's Surcharges may be added to this quotation.

Exhaust Systems: With the new EPA mandated diesel exhaust systems for 2007 and newer many changes are taking place. Manufacturers are often unable to depict accurately how the exhaust systems are configured and have difficulty stipulating whether certain components (i.e. PTOs and pumps) may fit in the confined spaces beneath the truck. **2007 EPA COMPLIANT DIESEL EXHAUST SYSTEMS CANNOT BE MODIFIED, RELOCATED OR REPLACED BY ASPEN EQUIPMENT.** Due to evolving designs, Aspen Equipment can not maintain expertise on every chassis/engine/transmission/exhaust configuration possible, regardless of who orders or specifies it. Nor can Aspen Equipment guarantee that a chassis ordered today will not change in design prior to delivery from the factory. Therefore, Aspen Equipment does not warrant that quoted products can be installed on a chassis without modifications to the chassis or products installed. As such, Aspen Equipment will not be responsible for the cost of modifications due to exhaust systems conflicting with the installation of quoted products. Aspen Equipment will make every reasonable effort to ensure that installations are completed without additional charges to the customer.

**NEW VEHICLE LIMITED WARRANTY WARRANTY COVERAGE
DESCRIPTIONS & WARRANTY COVERAGE TABLES
WESTERN STAR VOCATIONAL (ORDERS PLACED ON OR AFTER 3/08/2013)**

Western Star Vocational (Orders placed on or after 3/08/2013)



| | |
|---|---|
| Vocational Coverage is available for vehicles in these vocations: | Any |
| Category Determinants | |
| Road Surface- most severe in-transit between sites | Up to 30% off-highway Rough, maintained concrete/asphalt; maintained gravel/crushed rock; maintained dirt or soft soil (Class C or D Roads) |
| GCW | 140,000 lb/63 505 kg or less Doubles on NY turnpikes are rated 143,000 lb Doubles on FL turnpikes are rated 147,000 lb |
| Axles and Their Manufacturer's GVW Rating | |
| 2-axle unit | 48,000 lb/21 772 kg or less |
| 3-axle unit | 68,000 lb/30 844 kg or less |
| 4-axle unit | 88,000 lb/39 916 kg or less |
| 5-axes or more | 98,000 lb/44 452 kg or less |

| Description | Time ^a | Distance ^a |
|---|-------------------|-----------------------|
| Basic Vehicle | 1 Year | Unlimited |
| Battery | 1 Year | 100,000 mi/161 000 km |
| Brightwork | 6 Months | Unlimited |
| Cab Corrosion/Perforation | 5 Years | Unlimited |
| Cab Structure | 5 Years | Unlimited |
| Corrosion | 6 Months | Unlimited |
| Crossmembers | 5 Years | Unlimited |
| Diesel Emission 2010 ^b | 5 Years | 100,000 mi/161 000 km |
| Drivetrain | 5 Years | 100,000 mi/161 000 km |
| Frame Rails | 5 Years | Unlimited |
| Paint | 1 Year | 100,000 mi/161 000 km |
| Paint, Chassis | 6 Months | Unlimited |
| Towing/Roadside Assistance ^c | 1 Year | Unlimited |

a. Time or distance, whichever comes first

b. Applies to vehicles equipped with EPA 2010 compliant diesel engines

c. Up to a maximum of \$550 per occurrence.

DISCLAIMER: Failure to read or distribute this information does not provide exemption from compliance with the information contained herein.

Every Confidence.

You can have confidence knowing that your Cummins 2013 engine is backed by the total coverage of Cummins base and extended warranty coverage plans.

Every major component from the air handling to the exhaust aftertreatment* – including those in the Cummins Aftertreatment System – is included under the base warranty.

In addition to the base warranty, Cummins offers a selection of extended coverage plans that provide extra protection for your business against major unexpected repair expenses. These protection plans provide financial peace of mind, insuring you against unforeseen expenses for years to come. And they can be included in the financing of your new truck for just dollars a day.

Cummins extended coverage plans are honored at all authorized Cummins service locations and backed by Cummins Care. No matter where your business takes you, you've always got a Cummins-authorized service facility nearby, with over 3,500 locations in North America. So you can be assured that every contingency is covered. Best of all, those facilities will handle every bit of paperwork associated with your warranty repair.

*Does not include air cleaner, intake pipes, exhaust pipes or mounting hardware



ISL9 Base Warranty.

The ISL9 base warranty is good for 2 years/250,000 miles (402,336 km), whichever occurs first, and includes virtually everything at no additional cost:

2-Year/250,000-Mile (402,336 km) Coverage

- 100 percent parts and labor on warrantable failures*
- Travel or towing when an engine is disabled by a warrantable failure (from date of delivery through the first year)
- Consumables not reusable due to covered failure
- No deductible
- Includes aftertreatment

*Warrantable failures are those due to defects in Cummins material or factory workmanship.