

**CITY OF LA VISTA**  
**MAYOR AND CITY COUNCIL REPORT**  
**NOVEMBER 2, 2021 AGENDA**

<b>Subject:</b>	<b>Type:</b>	<b>Submitted By:</b>
AUTHORIZE PURCHASE – TANDEM AXLE DUMP TRUCK	◆ RESOLUTION ORDINANCE RECEIVE/FILE	JEFF CALENTINE DEPUTY DIRECTOR OF PUBLIC WORKS

**SYNOPSIS**

A resolution has been prepared authorizing the purchase of (1) one 2021 Western Star 4700 Tandem Axle Dump Truck from Truck Center Companies, Omaha, NE 68138 in an amount not to exceed \$272,000.00.

**FISCAL IMPACT**

The FY21/FY22 Biennial Budget provides funding for the proposed purchase.

**RECOMMENDATION**

Approval

**BACKGROUND**

The proposed purchase of the tandem axle dump truck will be used mainly in snow removal operations on the City's arterial street network. The truck will also be used in the summertime during concrete removal and replacement on City owned infrastructure.

The proposed vehicle will be purchased through the State of Nebraska Contract #14515OC.

**RESOLUTION NO. \_\_\_\_\_**

A RESOLUTION OF THE MAYOR AND CITY COUNCIL OF THE CITY OF LA VISTA, NEBRASKA, AUTHORIZING THE PURCHASE OF ONE (1) 2021 WESTERN STAR 4700 TANDEM AXLE DUMP TRUCK FROM TRUCK CENTER COMPANIES, OMAHA, NEBRASKA IN AN AMOUNT NOT TO EXCEED \$272,000.00.

WHEREAS, the City Council of the City of La Vista has determined that the purchase of a Tandem Axle Dump Truck is necessary; and

WHEREAS, the FY21/FY22 Biennial Budget provides funding for the proposed purchase; and

WHEREAS, Subsection (C) (9) of Section 31.23 of the La Vista Municipal code requires that the City Administrator secure council approval prior to authorizing any purchases over \$5,000;

NOW, THEREFORE BE IT RESOLVED, that the Mayor and City Council of the City of La Vista, Nebraska authorize the purchase of one (1) 2021 Western Star 4700 Tandem Axle Dump Truck from Truck Center Companies, Omaha, Nebraska in an amount not to exceed \$272,000.00.

PASSED AND APPROVED THIS 2ND DAY OF NOVEMBER 2021.

CITY OF LA VISTA

---

Douglas Kindig, Mayor

ATTEST:

---

Pamela A. Buethe, CMC  
City Clerk

Prepared for:  
Christina Kelly  
NEBRASKA STATE OF AND  
POLITICAL SUB DIVISIONS  
1526 K ST STE 130  
LINCOLN, NE 68508  
Phone: 402-471-2089

Prepared by:  
Terry Novotny  
Truck Center Companies  
14321 CORNHUSKER RD  
OMAHA, NE 68138  
Phone:

*A proposal for*  
**NEBRASKA STATE OF AND POLITICAL SUB DIVISIONS**

*Prepared by*  
**Truck Center Companies**  
*Terry Novotny*

*Oct 08, 2021*

**Western Star 4700SF**

Components shown may not reflect all spec'd options and are not to scale

Application Version 11.6.505  
Data Version PRL-23T.019  
Copy of City of LaVista Tandem Dump



10/08/2021 4:21 PM

Page 1 of 18

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

## S P E C I F I C A T I O N   P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
<b>Price Level</b>			
PRL-23T			WESTERN STAR 4700 PRL-23T (EFF:01/21/20)
<b>Data Version</b>			
DRL-019			SPECPRO21 DATA RELEASE VER 019
<b>Vehicle Configuration</b>			
001-450	4700 SET-FORWARD FRONT AXLE CHASSIS	9,100	6,570
004-222	2022 MODEL YEAR SPECIFIED		
002-003	SET FORWARD AXLE - TRUCK		
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING		
003-001	LH PRIMARY STEERING LOCATION		
<b>General Service</b>			
AA1-002	TRUCK CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1A5	WESTERN STAR VOCATIONAL WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 60000.0 lbs		
<b>Truck Service</b>			
AA3-018	FRONT PLOW/END DUMP BODY		

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

Data Code	Description	Weight Front	Weight Rear
AF3-1J1	ASPEN EQUIPMENT		
<b>Engine</b>			
101-26J	CUM X12 455V HP @ 1900 RPM, 1550 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45
<b>Electronic Parameters</b>			
79A-075	75 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM		
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
80G-002	PTO MINIMUM RPM - 700		
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
<b>Engine Equipment</b>			
99C-021	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10	
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES		
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT		

Prepared for:  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

Prepared by:  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

Data Code	Description	Weight Front	Weight Rear
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-006	PLASTIC BATTERY BOX COVER		
293-072	POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH	10	
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER	2	
306-020	LOW VOLTAGE BATTERY DISCONNECT AT 12.1 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM		
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
131-013	AIR COMPRESSOR DISCHARGE LINE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE		
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK		
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD		
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-003	CUMMINS SPIN ON FUEL FILTER		
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER		

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
266-057	1500 SQUARE INCH ALUMINUM RADIATOR		
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-016	RADIATOR DRAIN VALVE		
168-998	NO RADIATOR/OIL PAN GUARD	-5	
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER		
166-998	NO OIL PREHEATER		
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
134-001	ALUMINUM FLYWHEEL HOUSING		
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	

#### Transmission

342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

#### Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED		
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
362-818	CUSTOMER INSTALLED CHELSEA 870 SERIES PTO		
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013		
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED		
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		

### Front Axle and Equipment

400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	
403-002	NON-ASBESTOS FRONT BRAKE LINING	
419-023	CONMET CAST IRON FRONT BRAKE DRUMS	
427-001	FRONT BRAKE DUST SHIELDS	5
409-006	FRONT OIL SEALS	
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES	
405-007	BENDIX VERSAJUST AUTOMATIC FRONT SLACK ADJUSTERS	

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
406-001	STANDARD KING PIN BUSHINGS		
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	90	
539-003	POWER STEERING PUMP		
534-003	4 QUART POWER STEERING RESERVOIR		
533-001	OIL/AIR POWER STEERING COOLER		
40T-003	SYNTHETIC 40/50W FRONT AXLE LUBE		
<b>Front Suspension</b>			
620-006	20,000# FLAT LEAF FRONT SUSPENSION	50	
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
<b>Rear Axle and Equipment</b>			
420-1K4	MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE		-30
421-433	4.33 REAR AXLE RATIO		
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES		
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD- REAR AND REAR-REAR AXLE VALVE		
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH		
87B-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-085	MERITOR 16.5X8.62 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-003	STANDARD BRAKE CHAMBER LOCATION		
451-023	CONMET CAST IRON REAR BRAKE DRUMS		
440-006	REAR OIL SEALS		
426-1B3	BENDIX EVERSURE LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS		
428-007	BENDIX VERSAJUST AUTOMATIC REAR SLACK ADJUSTERS		

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
<b>Rear Suspension</b>			
622-1H2	HENDRICKSON PRIMAXX EX 46,000# REAR AIR SUSPENSION	420	
621-125	HENDRICKSON PRIMAXX 10.00" RIDE HEIGHT		
431-003	AXLE CLAMPING GROUP		
624-009	54 INCH AXLE SPACING		
888-047	MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE		
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		
<b>Brake System</b>			
490-100	WABCO 4S/4M ABS		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
904-001	FIBER BRAID PARKING BRAKE HOSE		
412-001	STANDARD BRAKE SYSTEM VALVES		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL		
*	460-008 STEEL AIR BRAKE RESERVOIRS MOUNTED INSIDE RAIL	1	
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD		
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)		
<b>Wheelbase &amp; Frame</b>			
545-580	5800MM (228 INCH) WHEELBASE		
546-1B2	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI	540	210

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
547-034	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION	195	-5
548-803	BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW		
552-030	1600MM (63 INCH) REAR FRAME OVERHANG		
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH		
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	135	-10
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 147.13 in		
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 144.13 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 343.03 in		
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 45.56 in		
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN : 42.12 in		
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN : 42.94 in		
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 41.79 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 77.93 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 186.73 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 164.78 in		
553-001	SQUARE END OF FRAME		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
572-001	STANDARD REARMOST CROSSMEMBER		
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER	10	
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		

### **Chassis Equipment**

556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-110
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS	
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS	
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE	

Prepared for:  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

Prepared by:  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

Data Code	Description	Weight Front	Weight Rear
<b>Fuel Tanks</b>			
204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH	20	
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-007	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
212-007	FUEL TANK(S) FORWARD		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
122-075	ALLIANCE FUEL FILTER/WATER SEPARATOR	15	
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
<b>Tires</b>			
093-0TB	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL FRONT TIRES	196	
094-1YV	CONTINENTAL HDC3 11R22.5 16 PLY RADIAL REAR TIRES	192	
510-0TB	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL SPARE TIRE	211	
<b>Hubs</b>			
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
<b>Wheels</b>			
502-574	ACCURIDE 29807 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS	98	
505-523	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS	72	
511-574	ACCURIDE 29807 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC SPARE WHEEL	119	
496-011	FRONT WHEEL MOUNTING NUTS		
497-011	REAR WHEEL MOUNTING NUTS		
495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS		
<b>Cab Exterior</b>			
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB		
82A-023	WESTERN STAR PAINTED ALUMINUM CAB SKIRT		

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
650-044	AIR CAB MOUNTS WITH CHECK VALVE		
705-059	RACEWAY WITHOUT MISCELLANEOUS CUSTOM CAB REQUIREMENTS		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
667-001	FRONT FENDERS		
754-001	2 INCH FENDER EXTENSIONS	5	
678-039	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERT AND LH AND RH INTERIOR GRAB HANDLES MOUNTED TO A POST		
646-008	STATIONARY BRIGHT FINISH GRILLE		
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
640-008	GALVANEALD STEEL SEVERE SERVICE CAB		
644-004	FIBERGLASS HOOD		
67U-002	HOOD OPENING ASSIST		
690-002	TUNNEL/FIREWALL LINER		
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORMS		
726-002	DUAL ELECTRIC HORMS		
728-002	DUAL HORN SHIELDS		
657-1AF	DOORS AND IGNITION KEYED THE SAME (3 KEYS)		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
327-012	SWITCH, INDICATOR LIGHT AND WIRING FOR (2) CUSTOMER FURNISHED BEACONS		
312-031	SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS		
302-022	LED MARKER LAMPS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
294-1AU	INDIVIDUAL LED STOP/TURN/BACKUP LIGHTS GROMMET MOUNTED BELOW RAIL		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-008	DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-1AA	LH AND RH SUREPLUS 574 8 INCH BRIGHT FINISH HEATED CONVEX MIRRORS WITH SEPARATE ADJUSTMENT, MOUNTED BELOW MIRROR		

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
74A-998	NO AUXILIARY MIRROR		
74B-1B4	RH AND LH 8 INCH HEATED STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	12	
729-001	STANDARD SIDE/REAR REFLECTORS		
787-020	ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER		
677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER		
768-050	17.5X35 INCH LAMINATED SAFETY GLASS TINTED REAR WINDOW	10	
661-006	TINTED DOOR GLASS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4	
663-023	2-PIECE ROPE-IN HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD		
659-026	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL		

#### **Cab Interior**

707-1D4	SMOKY MOUNTAIN GRAY VINYL PREMIUM INTERIOR
70K-005	BLACK HARD TRIM
706-049	BASE LEFT HAND DOOR TRIM
708-049	BASE RIGHT HAND DOOR TRIM
772-007	BLACK MATS WITH DOUBLE INSULATION
785-007	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE
691-001	FORWARD ROOF MOUNTED CONSOLE
697-012	14"X7.75" DOCUMENT POUCH MOUNTED ON BACK WALL BETWEEN SEATS
693-025	LH AND RH DOOR MAP POCKETS
741-015	(2) COAT HOOKS ON BACKWALL OF CAB
742-032	(1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER
700-023	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER
701-016	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
170-019	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
702-002	BINARY CONTROL, R-134A		
739-002	ADDITIONAL CAB SIDEWALL INSULATION	60	10
285-033	AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES		
324-076	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT WITH LH AND RH DOOR MOUNTED COURTESY LIGHTS AND LH AND RH READING LIGHTS		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
756-190	NATIONAL 2000 SERIES HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 6 WAY FRONT AND REAR CUSHION ADJUSTMENT, 3 CHAMBER AIR LUMBAR, ACTIVE CUSHION AND BOLSTER	20	
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT		
758-022	BLACK MORDURA CLOTH DRIVER SEAT COVER		
761-023	BLACK MORDURA CLOTH PASSENGER SEAT COVER		
763-003	3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		

#### **Instruments & Controls**

185-002	NON-ADJUSTABLE SUSPENDED PEDALS
106-002	ELECTRONIC ACCELERATOR CONTROL
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
732-054	BLACK VINYL DRIVER INSTRUMENT PANEL WITH CUSTOMER SPECIFIED CUSTOM SWITCH AND GAUGE LAYOUT		
734-021	BLACK VINYL CENTER INSTRUMENT PANEL		
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-041	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED		
160-039	(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-070	ENGINE REMOTE INTERFACE WITH PRESET FAST IDLE		
44Y-002	CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS		
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
372-063	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP FOR CUSTOMER INSTALLED PTO	10	
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10	
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO		

**Prepared for:**  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

**Prepared by:**  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

<b>Data Code</b>	<b>Description</b>	<b>Weight Front</b>	<b>Weight Rear</b>
750-004	(4) RADIO SPEAKERS IN CAB		
753-019	AM/FM ANTENNA MOUNTED ON RH FRONT A-PILLAR	2	
748-002	POWER AND GROUND STUDS ON TOP OF DASH		
749-006	TOP OF DASH MOUNT CB RADIO PROVISION WITH PLATE AND STRAPS	2	
752-998	NO CB ANTENNA, BRACKET OR LEAD		
75A-800	PREP KIT FOR UNDER DASH MOUNTED VHF RADIO		
*	75B-105 FORWARD CENTER ROOF MOUNTED UHF/VHF RADIO ANTENNA		
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER		
817-008	STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BETWEEN DRIVER AND PASSENGER SEATS		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-998	NO VEHICLE PERFORMANCE MONITOR	-5	
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
329-002	TWO EXTRA SWITCHES IN DASH		
4C1-004	HARDWIRE SWITCH #1,ON/OFF LATCHING, 20 AMPS BATTERY WIRED TO CUSTOMER INTERFACECONNECTOR		
4C2-004	HARDWIRE SWITCH #2,ON/OFF LATCHING, 20 AMPS BATTERY WIRED TO CUSTOMER INTERFACECONNECTOR		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-060	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SW WITH HEADLIGHT/MRKR LT INTERRUPTER SWITCHES ON STEERING WHEEL & DASH SW FOR CUSTOMER FURNISHED SNOWPLOW LTS		
882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-039	SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT		
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER		

### Design

065-000 PAINT: ONE SOLID COLOR

Prepared for:  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

Prepared by:  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

Data Code	Description	Weight Front	Weight Rear
<b>Color</b>			
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
96J-001	CAB INTERIOR PAINTED SAME AS CAB COLOR		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
96F-972	POWDER WHITE (N0006EA) SPARE WHEEL/RIM (PKWHT21, TKWHT21, W, TW)		

#### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	--

#### Secondary Factory Options

999-014	DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE
---------	--

#### Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 144.13 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 164.78 in

#### Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

#### T O T A L   V E H I C L E   S U M M A R Y

#### Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	10107 lbs	7794 lbs	17901 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight <sup>+</sup>	10107 lbs	7794 lbs	17901 lbs

**Prepared for:**  
Christina Kelly  
NEBRASKA STATE OF AND  
POLITICAL SUB DIVISIONS  
1526 K ST STE 130  
LINCOLN, NE 68508  
Phone: 402-471-2089

**Prepared by:**  
Terry Novotny  
Truck Center Companies  
14321 CORNHUSKER RD  
OMAHA, NE 68138  
Phone:

### Dealer Installed Options

		<b>Weight</b> Front	<b>Weight</b> Rear
LOC2	MISC P & D	0	0
LOC1	HENDERSON MARK E 14 ' STAINLESS BODY 201 STAINLESS SANDERSPREADER 8' WING MID MOUNT 12' PLOW	0	0
	Total Dealer Installed Options	0 lbs	0 lbs

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:  
 Christina Kelly  
 NEBRASKA STATE OF AND  
 POLITICAL SUB DIVISIONS  
 1526 K ST STE 130  
 LINCOLN, NE 68508  
 Phone: 402-471-2089

Prepared by:  
 Terry Novotny  
 Truck Center Companies  
 14321 CORNHUSKER RD  
 OMAHA, NE 68138  
 Phone:

## Q U O T A T I O N

### 4700 SET-FORWARD FRONT AXLE CHASSIS

SET FORWARD AXLE - TRUCK	20,000# FLAT LEAF FRONT SUSPENSION
CUM X12 455V HP @ 1900 RPM, 1550 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	110 INCH BBC STEEL CONVENTIONAL CAB
ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	5800MM (228 INCH) WHEELBASE
MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI
HENDRICKSON PRIMAAX EX 46,000# REAR AIR SUSPENSION	1600MM (63 INCH) REAR FRAME OVERHANG
DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
	BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW

	TOTAL # OF UNITS (1)	PER UNIT	TOTAL
VEHICLE PRICE		\$ 120,152	\$ 120,152
EXTENDED WARRANTY		\$ 0	\$ 0
DEALER INSTALLED OPTIONS		\$ 151,748	\$ 151,748
<b>CUSTOMER PRICE BEFORE TAX</b>		<b>\$ 271,900</b>	<b>\$ 271,900</b>

### TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$ (347)	\$ (347)
TAXES AND FEES	\$ 0	\$ 0
OTHER CHARGES	\$ 0	\$ 0

### TRADE-IN

<b>TRADE-IN ALLOWANCE</b>	\$ (0)	\$ (0)	
<b>BALANCE DUE</b>	<b>(LOCAL CURRENCY)</b>	<b>\$ 271,553</b>	<b>\$ 271,553</b>

### COMMENTS:

Projected delivery on \_\_\_\_ / \_\_\_\_ / \_\_\_\_ provided the order is received before \_\_\_\_ / \_\_\_\_ / \_\_\_\_.

### APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X \_\_\_\_\_ Date: \_\_\_\_ / \_\_\_\_ / \_\_\_\_.

**Daimler Truck Financial**

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at [Information@dtoffers.com](mailto:Information@dtoffers.com).

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at [www.daimler-truckfinancial.com](http://www.daimler-truckfinancial.com).

**EQUIPMENT ORDER AND AGREEMENT**

<b>Cust Name:</b> City Of La Vista	<b>Quote Number:</b> CITY OF LA VISTA-96-HEN-43906-10-41-v1	<b>Quote Date:</b> 3/16/2020	
<b>Address:</b> 8116 Park View Blvd Lavista Ne 68128	<b>Order Date:</b> NEED		
	<b>Ship To:</b>	<b>Date Wanted:</b> REQUIRED	
	<b>Ship Via:</b>	<b>PO#</b> REQUIRED	
<b>Contact:</b>	<b>Pick-up/Delivery Instructions:</b>	<b>Sales Person:</b> Clark Stubbendeck	
<b>Phone:</b> 402-331-7827	omaha ne	<b>Chassis Purchaser:</b> NA	
<b>Fax:</b> 402-331-4375	<b>F.O.B.:</b> Omaha, NE	<b>Order Type:</b> Installed	
<b>Dealership:</b>	<b>AEC#</b>	<b>Express Warranties:</b> Manufacturer's Standard	
<b>Contact:</b>	<b>Special Instructions:</b>		
<b>Bill To:</b>			
Qty	Part/Specification Number	Description	Installed
3	8.313 Strobe Installation EA	Mount strobe, route wire to switch, tie-up and guard.	\$151,248.00
1	8.317 Wire Hot	Wire Strobes Hot	
1	FORCE HYDRAULICS	COMPLETE HYDRAULIC FORCE SYSTEM	
1	HENDERSON MARK E 12' STAINLESS	14' WITH 30" SIDE WITH SINGLE ACTING MALHOIST HOIST	
1	FSH-II 201 SS SANDER/SPREADER	13' DUAL AUGER SANDER SPREADER STAINLESS STEEL	
1	HENDERSON 8' MID MOUNT WING	HWS 8' EXTENDABLE MID MOUNT WING	
1	HENDERSON RSP 12' SNOW PLOW	12' LENGTH 42" MOLDBOARD HEIGHT 3" REVERSING CYLINDERS	
1	GL3000PMC	WING TOW LAZER GUIDANCE SYSTEM INSTALLED	
1	STROBE LIGHTS	SOUND OFF STROBE SYSTEM	
1.50		3/16" AR400 floor ILO Std (Mild Steel)	
1	1.5	Installation Price of Henderson MuniBody	
1	1.206	Snowplow halogen headlights with turn signals	
1	1.209	Fender mounted plow headlights - stainless steel	
1	2.0 Hoist	Not Quoted	
1	3.0 Underbody Plow	Not Quoted	
1	4.1	Installation as mid mount, behind cab, Price includes all labor, hose and fittings and plumbing to existing hydraulic valve. Truck frame must be clean and unobstructed (bulkhead couplers standard)	
1	4.2	*** (PT# 121137 & 121138) 35" x 19" Cheek Plates & Cross tubes mounting kit	
1	4.32 Henderson Build Note:	Extend length of push beam attachment brackets on rear of wing	
1	5.1	Install front plow hitch. Includes bumper to frame mount kit, hard plumbing from existing hydraulic valve to double acting lift cylinder and 2 sets quick couplers for plow angling	
1	6.0 Two-Way Reversible	Henderson RSP-12	
1		Henderson Paint (Highway Orange)	
1	0	0	
1	6.2	Quick Hitch, Plow portion	
1	6.3	29" Hustling Hitch, Plow portion	
1	6.4	34" Hustling Hitch, Plow portion	
1	6.5	Pin Hitch, Plow portion	
1	6.6	H-46 Falls style, Plow portion	

Continued On Next Page

BY SIGNING THIS ORDER AND AGREEMENT, PURCHASER ACKNOWLEDGES THAT IT HAS READ AND ACCEPTED ALL OF THE TERMS AND CONDITIONS OF SALE SET FORTH HEREIN AND ON PAGE 2 OF THIS ORDER, AND WARRANTS TO SELLER THAT IT HAS CAREFULLY REVIEWED THIS ENTIRE AGREEMENT (INCLUDING THE DISCLAIMER OF WARRANTIES).

Accepted: Aspen Equipment Co

By: \_\_\_\_\_  
Title: \_\_\_\_\_  
Date: \_\_\_\_\_

Accepted by: \_\_\_\_\_  
Firm Name of Purchaser: \_\_\_\_\_  
Received by: \_\_\_\_\_  
Title: \_\_\_\_\_ Date: \_\_\_\_\_



CORPORATE HEADQUARTERS: 9150 Pillsbury Avenue South, Bloomington, MN 55420-3686 - Phone: (952)888-2525 · Fax: (952)656-7157 · Website: www.aspenequipment.com

**EQUIPMENT ORDER AND AGREEMENT**

<b>Cust Name:</b> City Of La Vista	<b>Quote Number:</b>	<b>Quote Date:</b> 3/16/2020
<b>Address:</b> 8116 Park View Blvd Lavista Ne 68128	<b>CITY OF LA VISTA-96-HEN-43906-10-41-v1</b>	
<b>Ship To:</b>	<b>Order Date:</b>	NEED
<b>Ship Via:</b>	<b>Date Wanted:</b>	REQUIRED
<b>Contact:</b>	<b>PO#</b>	REQUIRED
<b>Phone:</b> 402-331-7827	<b>Sales Person:</b>	Clark Stubbendeck
<b>Fax:</b> 402-331-4375	<b>Chassis Purchaser:</b>	NA
<b>Dealership:</b>	<b>Order Type:</b>	Installed
<b>Contact:</b>	<b>Express Warranties:</b>	Manufacturer's Standard
<b>Bill To:</b>	<b>Special Instructions:</b>	

Qty	Part/Specification Number	Description	Installed
1	6.7	Pin & loop, Plow portion (Oscillating)	
1	6.1	Installation of Selected Plow (Plow Side Only)	
1	6.11	Integral shield (STD RSP plows only)	
1	6.12	½" rubber deflector, installed	
1	6.13	Sight markers	
1	6.14	Moldboard punched to accept both carbide & mild edges	
1	7.0 Pup Hitch	Aspen Equipment 3/4" thick hitch plate w/ Buyer P45AC4K pintle hook	
1	8.0 Sander	Henderson Model FSH1-10-48	
1	8.1	Installation (Slip In Mount) of Sander, price includes hose, fittings labor etc. to plumb from existing valve	
1	9.1	Installation (Hose, plumbing, hardware, labor, etc.) of hydraulics from reservoir to pump to valve	
1	9.247	5100EX-9F Force closed loop w/ granular sensor	
1	10.0 Air Bags	Not Quoted	

Tax Note:

Applicable sales tax and/or FET estimates will be confirmed and added to the final invoice

Description of Trade-in and allowance - Purchaser warrants that (1) he has now, and will have on the date of delivery to Seller, clear and marketable title to the following described equipment; (2) that there are no liens or encumbrances on said equipment; and (3) that, upon Seller's request, he will execute a Bill of Sale of said equipment on Seller's form. If any equipment owned by Purchaser is to be traded in as part of the purchase of equipment, but the same is not delivered to Seller until a time later than the date of delivery of the equipment, Seller shall have the right to reappaise said trade-in equipment at the time of the actual delivery to Seller, and said reappaisal value shall determine the trade-allowance for said equipment.

Year	Make/Model	Complete Description - Include Attachments	Serial#	Allowance

**Payment Terms of Sales Order:** C.O.D. **Installed**

Sales Order Total \$151,248.00

Trade in Allowance \$0.00

Sales Tax % 0.000% Non-Taxable Freight / Delivery: \$0.00 \$0.00

Estimated FET \$0.00 \$0.00

Transit Tax \$0.00 \$0.00

Down Payment \$0.00 \$0.00

Unpaid Balance \$151,248.00

BY SIGNING THIS ORDER AND AGREEMENT, PURCHASER ACKNOWLEDGES THAT IT HAS READ AND ACCEPTED ALL OF THE TERMS AND CONDITIONS OF SALE SET FORTH HEREIN AND ON PAGE 2 OF THIS ORDER, AND WARRANTS TO SELLER THAT IT HAS CAREFULLY REVIEWED THIS ENTIRE AGREEMENT (INCLUDING THE DISCLAIMER OF WARRANTIES).

Accepted: Aspen Equipment Co

By: \_\_\_\_\_  
Title: \_\_\_\_\_  
Date: \_\_\_\_\_

Accepted by: \_\_\_\_\_  
Firm Name of Purchaser: \_\_\_\_\_  
Received by: \_\_\_\_\_  
Title: \_\_\_\_\_ Date: \_\_\_\_\_