

ITEM H

**CITY OF LA VISTA
MAYOR AND CITY COUNCIL REPORT
SEPTEMBER 16, 2014 AGENDA**

Subject:	Type:	Submitted By:
AUTHORIZATION TO PURCHASE SINGLE AXLE DUMP TRUCK	◆ RESOLUTION ORDINANCE RECEIVE/FILE	JOE SOUCIE PUBLIC WORKS DIRECTOR

SYNOPSIS

A resolution has been prepared authorizing the purchase of one (1) 2015 International 7300 SFA 4x2 Dump Truck from Cornhusker International Trucks, Inc., Omaha, Nebraska for an amount not to exceed \$171,110.82.

FISCAL IMPACT

The FY 15 General Fund Street Operating Budget provides funding for the proposed purchase through a multi-year loan/lease.

RECOMMENDATION

Approval

BACKGROUND

The truck purchase is being made off a current Omaha/Douglas County contract #13-II. Delivery time for the new truck is 120 days. The purchase includes a new snow plow, wing plow and sander for winter operations. The truck carries a standard 1-year bumper to bumper warranty and 3-year power train warranty.

RESOLUTION NO. _____

A RESOLUTION OF THE MAYOR AND CITY COUNCIL OF THE CITY OF LA VISTA, NEBRASKA AUTHORIZING THE PURCHASE OF ONE (1) 2015 INTERNATIONAL 7300 SFA 4X2 DUMP TRUCK FROM CORNHUSKER INTERNATIONAL TRUCKS, INC., OMAHA NEBRASKA FOR AN AMOUNT NOT TO EXCEED \$171,110.82.

WHEREAS, the City Council of the City of La Vista has determined that the purchase of a single axle dump truck is necessary, and

WHEREAS, the FY 15 General Fund budget provides funding for the proposed purchase, and

WHEREAS, the truck will be purchased through a multi-year loan/lease; and

WHEREAS, Subsection (c) of Section 31.23 of the La Vista Municipal Code requires that the City Administrator secure Council approval prior to authorizing any purchase over \$5,000.00.

NOW, THEREFORE, BE IT RESOLVED, that the Mayor and City Council of La Vista, Nebraska, do hereby authorize the purchase of one (1) 2015 International 7300 SFA 4x2 dump truck from Cornhusker International Trucks, Inc., Omaha, Nebraska for an amount not to exceed \$171,110.82.

PASSED AND APPROVED THIS 16TH DAY OF SEPTEMBER, 2014.

CITY OF LA VISTA

Douglas Kindig, Mayor

ATTEST:

Pamela A. Buethe, CMC
City Clerk



7300 SFA 4x2

Sales Proposal For:
City of LaVista

Presented By:
CORNHUSKER INTERNATIONAL TRUCKS, INC

Prepared For:

City of LaVista
 Greg Goldman
 9900 Cornhusker Rd.
 La Vista, NE 68128-3087
 (402)331 - 8927
 Reference ID: N/A

Presented By:

CORNHUSKER INTERNATIONAL TRUCKS, INC
 Rob Roane
 4502 S. 110th Street
 Omaha NE 68137 -
 (402)331-8801

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2015 7300 SFA 4X2 (SA515)

APPLICATION:	Front Plow and Wing with Spreader
MISSION:	Requested GVWR: 39000. Calc. GVWR: 37000 Calc. Start / Grade Ability: 36.57% / 1.81% @ 55 MPH Calc. Geared Speed: 72.7 MPH
FUEL ECONOMY:	8.02 MPG @ 55 MPH
DIMENSION:	Wheelbase: 177.00, CA: 102.00, Axle to Frame: 61.00
ENGINE, DIESEL:	{MaxxForce DT} EPA 10, 260 HP @ 2200 RPM, 660 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 260 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential Gear Ratio: 6.14
CAB:	Conventional
TIRE, FRONT:	(2) 12R22.5 G661 HSA (GOODYEAR) 484 rev/mile, load range H, 16 ply
TIRE, REAR:	(4) 11R22.5 G182 RSD (GOODYEAR) 496 rev/mile, load range H, 16 ply
SUSPENSION, REAR, AIR, SINGLE:	{Hendrickson PRIMAAX EX} 23,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers
PAINT:	Cab schematic 100GM Location 1: 9219, Winter White (Std) Chassis schematic N/A

INTERNATIONAL®**Vehicle Specifications**
2015 7300 SFA 4X2 (SA515)**September 08, 2014**

Code	Description	E/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
SA51500	Base Chassis, Model 7300 SFA 4X2 with 177.00 Wheelbase, 102.00 CA, and 61.00 Axle to Frame.	6616/3664	10280	\$81,441.00
1CAJ	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL	128/312	440	\$983.00
1LLA	BUMPER, FRONT Steel, Swept Back	0/0	0	\$0.00
Includes				
	: BUMPER, FRONT Powder Coated Gray (Argent) Color			
1WDS	FRAME EXTENSION, FRONT Integral; 20" In Front of Grille	140/-35	105	\$790.00
1WEV	WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)	0/0	0	\$0.00
2ARV	AXLE, FRONT NON-DRIVING {Meritor MFS-14-143A} Wide Track, I-Beam Type, 14,000-lb Capacity	58/0	58	\$207.00
Notes				
	: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers	37/0	37	\$379.00
Includes				
	: SPRING PINS Rubber Bushings, Maintenance-Free			
Notes				
	: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.			
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	0/0	0	\$0.00
Includes				
	: BRAKE LINES Color and Size Coded Nylon			
	: DRAIN VALVE Twist-Type			
	: DUST SHIELDS, FRONT BRAKE			
	: DUST SHIELDS, REAR BRAKE			
	: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster			
	: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel			
	: PARKING BRAKE VALVE For Truck			
	: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4			
	: SLACK ADJUSTERS, FRONT Automatic			
	: SLACK ADJUSTERS, REAR Automatic			
	: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4			
Notes				
	: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.			
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank	0/0	0	\$0.00

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
<u>Includes</u>				
: DRAIN VALVE Mounted in Wet Tank				
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0	\$0.00
4EBD	AIR DRYER {Meritor Wabco System Saver 1200} with Heater	11/7	18	\$450.00
<u>Includes</u>				
: AIR DRYER LOCATION Inside Left Rail, Back of Cab				
4ESX	BRAKE CHAMBERS, FRONT AXLE {Haldex} 20 SqIn	0/0	0	\$0.00
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	0/0	0	\$0.00
<u>Includes</u>				
: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.				
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers	0/0	0	\$265.00
<u>Notes</u>				
: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.				
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/0	0	\$0.00
<u>Notes</u>				
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.				
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity	0/0	0	\$0.00
5708	STEERING COLUMN Tilting	0/0	0	\$125.00
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black	0/0	0	\$0.00
5PSA	STEERING GEAR {Sheppard M-100} Power	0/0	0	\$0.00
7BEJ	EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard	5/-18	-13	\$738.00
<u>Includes</u>				
: EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)				
: MUFFLER/TAIL PIPE GUARD Non-Bright Finish				
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	0/0	0	\$0.00
<u>Includes</u>				
: BATTERY BOX Steel with Plastic Lid				
: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab				

<u>Code</u>	<u>Description</u>	<u>P/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : RUNNING LIGHT (2) Daytime, Included With Headlights : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1	\$18.00
8875	BATTERY TERMINALS Sealed	2/0	2	\$51.00
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense	0/0	0	\$0.00
8HAA	BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket	2/0	2	\$159.00
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12- Volt 1850CCA Total	5/1	6	\$56.00
8RGA	2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab	1/0	1	\$68.00
8RME	RADIO AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player	1/0	1	\$474.00
8THB	BACK-UP ALARM Electric, 102 dBA	0/3	3	\$120.00
8THJ	AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	2/0	2	\$158.00
8TPR	STOP, TURN, TAIL & B/U LIGHTS {Weldon LED Multi-Function Lamp} Mounted Outside Rails	-3/14	11	\$178.00
8VAY	HORN, ELECTRIC Disc Style	0/0	0	\$0.00
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated	0/0	0	\$94.00
8WML	HEADLIGHTS Long Life Halogen; for Two Light System	0/0	0	\$22.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	0/0	0	\$70.00

INTERNATIONAL®**Vehicle Specifications
2016 7300 SFA 4X2 (SA616)****September 08, 2014**

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	0/0	0	\$42.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection	0/0	0	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm	0/0	0	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	\$99.00
9585	FENDER EXTENSIONS Rubber	6/0	6	\$104.00
9HBM	GRILLE Stationary, Chrome	0/0	0	\$0.00
9WAC	BUG SCREEN Front End; Mounted Behind Grille	5/0	5	\$131.00
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions	0/0	0	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
Includes				
	: PAINT SCHEMATIC ID LETTERS "GM"			
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	-63/-12	-75	\$0.00
12851	PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted	10/0	10	\$353.00
12NUP	ENGINE, DIESEL {MaxxForce DT} EPA 10, 260 HP @ 2200 RPM, 660 lb-ft Torque @ 1300 RPM, 2400 RPM Governed Speed, 260 Peak HP (Max)	53/1	54	\$2,147.00
Includes				
	: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)			
	: ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce and Navistar Engines			
	: COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control			
	: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel			
	: ENGINE OIL DRAIN PLUG Magnetic			
	: ENGINE SHUTDOWN Electric, Key Operated			
	: FUEL FILTER Included with Fuel/Water Separator			
	: FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted			
	: GOVERNOR Electronic			
	: OIL FILTER, ENGINE Spin-On Type			
	: WET TYPE CYLINDER SLEEVES			
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	9/0	9	\$274.00
Includes				
	: FAN Nylon			

INTERNATIONAL®**Vehicle Specifications
2016 7300 SFA 4X2 (SA615)****September 08, 2014**

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
12UAR	RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler and 342 SqIn Low Temperature Radiator and With Transmission Oil Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	0/0	0	\$310.00
12UNK	FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2014; MaxxForce DT Engines	0/0	0	\$0.00
12VAG	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	2/0	2	\$157.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	0/0	0	\$0.00
12VZA	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce and Navistar post 2007 Emissions Electronic Engines	0/0	0	\$45.00
12WTH	BLOCK HEATER, ENGINE {Phillips} 120 Volt/1250 Watt; With "Y" Cord From Socket in Standard Location, For a Dealer Installed Oil Pan Heater, With Extended Life Coated Metal/Plastic/Metal Material Oil Pan <u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door <u>Notes</u> : MPM material is single sheet composite with two layers of sheet metal sandwiching plastic material. MPM material has electro-deposition prime coat with powder coating for the final finish coat.	4/0	4	\$115.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	0/0	0	\$0.00
13AVL	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.	212/76	288	\$8,795.00
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission	0/0	0	\$0.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	0/0	0	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	0/0	0	\$0.00
13WYH	TRANSMISSION TCM LOCATION Located Inside Cab	0/0	0	\$141.00
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming	0/0	0	\$0.00

INTERNATIONAL®
Vehicle Specifications
2015 7300 SFA 4X2 (SA515)
September 08, 2014

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control in Cab	4/4	8	\$163.00
14ARB	AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential . Gear Ratio: 6.14	0/241	241	\$1,833.00
<u>Includes</u>				
: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle				
<u>Notes</u>				
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.				
: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance				
14TBZ	SUSPENSION, REAR, AIR, SINGLE {Hendrickson PRIMAAX EX} 23,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers	0/76	-76	\$2,489.00
<u>Notes</u>				
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.				
14WMG	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints	0/0	0	\$169.00
15SGJ	FUEL TANK Top Draw; D Style, Non Polished Aluminum, 50 U.S. Gal., 189 L Capacity, 16" Tank Depth, with Quick Connect Outlet, Mounted Left Side, Under Cab	17/5	22	\$0.00
16030	CAB Conventional	0/0	0	\$0.00
<u>Includes</u>				
: ARM REST (2) Molded Plastic; One Each Door				
: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window				
: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel				
: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted				
: GLASS, ALL WINDOWS Tinted				
: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side				
: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side				
: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color				
: STEP (4) Two Steps Per Door				
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	0/0	0	\$0.00
<u>Includes</u>				
: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level				

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout			
	: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)			
16HGH	GAUGE, OIL TEMP, ALLISON TRAN	1/0	1	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel	2/0	2	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	27/12	39	\$116.00
	<u>Includes</u>			
	: SEAT BELT 3-Point, Lap and Shoulder Belt Type			
16SDL	MIRRORS (2) {Lang Mekra} Rectangular, 7.44" x 14.84" & 7.44" sq. Convex Both Sides, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Black Heads, Brackets and Arms	0/0	0	\$126.00
16SEE	GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar	3/0	3	\$118.00
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	14/9	23	\$288.00
16WBY	ARM REST, RIGHT, DRIVER SEAT	3/0	3	\$39.00
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster	40/7	47	\$823.00
	<u>Includes</u>			
	: HEATER HOSES Premium			
	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps			
	: REFRIGERANT Hydrofluorocarbon HFC-134A			
16WJS	INSTRUMENT PANEL Center Section, Flat Panel	0/0	0	\$0.00
16WJU	WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature	5/0	5	\$367.00
16WKY	HVAC FRESH AIR FILTER	0/0	0	\$0.00
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray In Front of Windshield Under Hood	1/0	1	\$76.00
16WRZ	CAB INTERIOR TRIM Premium	0/0	0	\$304.00
	<u>Includes</u>			
	: "A" PILLAR COVER Molded Plastic			
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering			
	: CAB SOUND INSULATION Includes Dash and Engine Cover Insulators			

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : FLOOR COVERING Rubber, Black : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side			
16WSK	CAB REAR SUSPENSION Air Bag Type	0/0	0	\$0.00
16WSL	MIRROR, CONVEX, HOOD MOUNTED (2) {Lang Mekra} for Left and Right Sides 7.44" Sq.	11/0	11	\$137.00
16XWJ	WINDSHIELD WIPER BLADES Snow Type	2/0	2	\$26.00
16XXC	COWL TRAY LID	7/4	11	\$200.00
27DTJ	WHEELS, FRONT {Maxion 90541} DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	140/0	140	\$111.00
28DTJ	WHEELS, REAR {Maxion 90541} DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	0/643	643	\$109.00
7382130121	(4) TIRE, REAR 11R22.5 G182 RSD (GOODYEAR) 496 rev/mile, load range H, 16 ply	0/48	48	\$1,220.00
7382158107	(2) TIRE, FRONT 12R22.5 G661 HSA (GOODYEAR) 484 rev/mile, load range H, 16 ply	38/0	38	\$824.00
Total of Product Features				\$109,378.00
Cab schematic 100GM				
Location 1: 9219, Winter White (Std)				
Chassis schematic N/A				
Services Section:				
40107	WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2014 or Later, CTS-2002T	0/0	0	\$0.00
Total of Service Features				\$0.00

INTERNATIONAL®**Vehicle Specifications**
2015 7300 SFA 4X2 (SA515)**September 08, 2014**

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	Total Component Weight:	7559/4910	12469	
	Total List Price Including Options:			\$109,378.00
1	Hawkeye Truck Equipment Quote # 16901. Monroe 10' RDS Dump Body, Certified Power Hydraulics, Monroe MP41R12-ISCT Plow W/ 6' Monroe Mid Mount Plow. 201 Stainless Steel Option including Grease Zerk Kit.	0/0	0	\$78,957.00
2	Force America Distributing Quote # 57294 Hydraulics for plow, dump, and wing.	0/0	0	\$14,888.00
	Total Body Allied:			\$93,845.00

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Factory List Prices:		
Product Items	\$109,378.00	
Service Items	\$0.00	
Total Factory List Price Including Options:		\$109,378.00
Freight Charge	\$2,075.00	
Total Freight:		\$2,075.00
Total Factory List Price Including Freight:		\$111,453.00
Less Customer Allowance:		(\$34,187.18)
Total Vehicle Price:		\$77,265.82
Total Body/Allied Equipment:		\$93,845.00
Total Sale Price:		\$171,110.82
Total Per Vehicle Sales Price:		\$171,110.82
Net Sales Price:		\$171,110.82

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting appropriate FET to the IRS.